


# **Grab-a-Site 5.0**



## **Grab-a-Site 5.0 User's Guide**

## Grab-a-Site 5.0 User's Guide

© 2003 Blue Squirrel

All rights reserved. No parts of this work may be reproduced in any form or by any means - graphic, electronic, or mechanical, including photocopying, recording, taping, or information storage and retrieval systems - without the written permission of the publisher.

Products that are referred to in this document may be either trademarks and/or registered trademarks of the respective owners. The publisher and the author make no claim to these trademarks.

While every precaution has been taken in the preparation of this document, the publisher and the author assume no responsibility for errors or omissions, or for damages resulting from the use of information contained in this document or from the use of programs and source code that may accompany it. In no event shall the publisher and the author be liable for any loss of profit or any other commercial damage caused or alleged to have been caused directly or indirectly by this document.

Printed: May 2003

Information in this document is subject to change without notice and does not represent a commitment on the part of Blue Squirrel. The software described herein, including all associated documentation and data, is the exclusive property of Blue Squirrel or its suppliers and is furnished only under a license agreement defining the terms and conditions governing its use by licensee. It is against the law to copy the software except as specifically allowed in the license agreement. No part of this document may be reproduced or transmitted in any form or by any means, including without limitation graphic, electronic, photocopy, facsimile, taping or mechanical reproduction of any kind without the prior written approval of Blue Squirrel.

Use of this product is subject to the terms of the accompanying License Agreement as stated in the back of this book.

### U.S. Government Restricted Rights Legend

The Software and documentation are provided with RESTRICTED RIGHTS. Use, duplication, or disclosure by the Government is subject to restrictions as set forth in subparagraph (c) (1) of the Rights in Technical Data and Computer Software clause at DFARS 52.277-7013 or in subparagraph (c) (1) (ii) and (20) of Commercial Computer Software-Restricted Rights at 48 CFR 52.227-19, as applicable. Contractor/manufacturer is Blue Squirrel Software, 686 E. 8400 South, Sandy, UT 84070.

### Special thanks to:

*All the people that contributed to the development of Grab-a-Site, including the developers, copywriters, web site developers, technical support, customer service, manual editors, alpha testers, and the beta testers.*

# Table of Contents

Foreword	0
<b>Part I Introduction</b>	<b>3</b>
<b>Part II Installation</b>	<b>3</b>
1 Requirements .....	3
2 Installation Summary .....	3
3 Loading the CD .....	4
4 Uninstalling .....	4
<b>Part III Getting Started</b>	<b>4</b>
1 Registering Electronically .....	4
2 Registering Manually .....	4
3 Purchasing the Program .....	4
4 Activating Grab-a-Site .....	5
<b>Part IV Using Grab-a-Site</b>	<b>5</b>
1 Create a Project .....	5
2 Adding a URL .....	5
Add URL Wizard .....	6
Import URL(s)... .....	7
3 Grabbing .....	8
4 Refresh .....	8
5 Contents Page .....	8
6 Grab-a-Site Options .....	8
7 Project Properties .....	11
8 URL Properties .....	13
Advanced Filter .....	16
9 File Location .....	17
10 Export .....	18
<b>Part V Menu and Toolbar</b>	<b>18</b>
1 File .....	18
2 Edit .....	18
3 View .....	19
4 Tools .....	19
5 Help .....	19
6 Toolbar .....	19

<b>Part VI Right-Click Menu</b>	<b>19</b>
1 URL Properties .....	20
2 Grab URL .....	20
3 Refresh URL .....	20
4 Browse Local .....	20
5 Browse Remote .....	20
6 Skip URL .....	20
7 Delete URL .....	20
8 Edit HTML File .....	20
9 Export URL Tree .....	20
10 Export URL Page .....	20
<b>Part VII Advanced</b>	<b>20</b>
1 Hot Keys .....	20
2 Command Line Options .....	20
3 Hidden Options .....	21
<b>Part VIII Customer Support</b>	<b>21</b>
1 Help File .....	21
2 Web Site .....	21
3 Technical Support .....	22
4 Customer Service .....	22
5 Mailing Address .....	22
<b>Part IX Glossary</b>	<b>22</b>
<b>Index</b>	<b>23</b>

# 1 Introduction

Grab-a-Site is a powerful Internet tool that allows you to grab complete sections of the World Wide Web. When you grab a site, it is downloaded onto your hard drive where you can surf without costly Internet charges. You can tell Grab-a-Site specifically which sites to grab using the Include filter. Filter out any unwanted sites with the Exclude filter.

The new Grab-a-Site 5.0 can get specific file types from a site. If you want all the PDF files, just enter "PDF" during the [Add URL Wizard](#). Download all the images, zip files, movies. Whatever you want to grab and keep.

## 2 Installation

Installing Grab-a-Site is very easy. Insert the CD, choose Grab-a-Site, and click on INSTALL. You will be prompted for the location to install the program. We suggest you accept the defaults.

### 2.1 Requirements

- 486 or faster processor
- Windows 95/98/NT/Me/2000/XP
- 16 MB of RAM
- At least 6 MB hard drive space
- A working Internet connection

### 2.2 Installation Summary

The installation setup program is called Grab-a-Site5Setup.exe. You must run the setup program to install Grab-a-Site to your hard disk (Product installation is found in section "Loading the CD"). Here's a summary of what the setup program does:

- Copies the Grab-a-Site files to your hard disk.
- At the end of the installation process Grab-a-Site presents you with the option to view the README.TXT. We recommend looking this document over because it contains more information about Grab-a-Site.

When you first start Grab-a-Site, the InstantX registration dialog box will appear. To fully enable your copy of Grab-a-Site please fill out the form and enter your VIP Key, and then send it electronically to Blue Squirrel. If you don't register Grab-a-Site, the InstantX dialog box will pop up each time you run the program, and it will run as an evaluation program. Once you have purchased the program and entered your VIP key, you'll see your License Key code in the About Grab-a-Site box.

## 2.3 Loading the CD

1. Insert the CD into the appropriate disk drive.
2. The CD should automatically load. If the CD does not load automatically, double click on the "My Computer" icon on your desktop. Select your CD drive, go to File on the menu bar and click Open. Find the file named BlueSquirrelInstaller.exe and double click. An introduction screen will appear.
  - Click on the program you would like to install on the left.
  - If you wish to purchase the product click on the BUY text. This will take you to the Blue Squirrel Web purchase page for that product.
  - To demo the product click on the title or on the INSTALL text.

## 2.4 Uninstalling

To Uninstall Grab-a-Site, go to your Control Panel and choose Add/Remove Programs. Then choose Grab-a-Site, and hit the Change/Remove button.

## 3 Getting Started

### 3.1 Registering Electronically

Even if you have not purchased the program, we politely request that you register the program before using the trial version. The registration box will appear when you run the program and have not registered. Please ensure that you have an active Internet connection, enter your information, and hit OK. Your information will be sent electronically.

### 3.2 Registering Manually

Access the InstantX Registration Screen by selecting Help->About-> InstantX, and then the Settings tab from the Grab-a-Site Menu Bar. Enter in your customer information, and your VIP key and then select the Print button to print the form instead of sending it over the Internet.

Fax the printout to us at 801-912-6032, or send it via post mail to:

Blue Squirrel  
Attn. Customer Service  
686 E. 8400 South  
Sandy, UT 84070

### 3.3 Purchasing the Program

Grab-a-Site There are many ways to purchase the program. The easiest way is to hit the "Purchase Online" button that will appear each time you start the trial version. You may also [call to order the program](#). We accept all major credit cards.

Once you have purchased the program you will be given a VIP Key. The VIP Key is an activation code to [activate the program and remove any trial limitations](#).

## 3.4 Activating Grab-a-Site

Make sure you have an active connection to the Internet so you can submit your registration online. The first time you run Grab-a-Site, the InstantX Registration dialog box appears. Select Help->About->InstantX button.

Enter in your customer information, and VIP key, and press OK to submit your information over the Internet.

Your VIP Key looks like this:

GASR-ABCEFG-LKJIH-MNO-UTSRQP

## 4 Using Grab-a-Site

Grab-a-Site is project based. You set all the settings for the project and then you can save the project to run it again and again.

The steps:

1. [Create a Project](#)
2. [Add a URL](#)
3. Set [Properties](#) (optional)
4. [Start grabbing](#)
5. View [Contents Page](#)

### 4.1 Create a Project

When you first open Grab-a-Site, you will be asked whether you want to create a new project or open an existing project.

You can also create a new project by choosing File -> New Project.


You will need to choose where to store your project file. A folder will be created with the same name which will contain all of the downloaded files, and the required databases.

### 4.2 Adding a URL

There are several ways to add a URL. The [URL Wizard](#) is the easiest and will walk you through the two simple steps. When adding a URL, you must limit Grab-a-Site so that it does not try to download the entire web.

You can also drag a URL link from Internet Explorer to Grab-a-Site to start the [URL Wizard](#).

### 4.2.1 Add URL Wizard




The URL Wizard will step you through adding a new URL.


Enter the URL where you want to start, and choose whether you want to remain on the site, or in the directory.

**Remain On Site** - Will only follow links in the same domain.

**Remain in Directory** - Will only follow links if they have the same directory as the URL you entered.




Choose how many levels. See the [Glossary](#) for a definition of a level.



You can exclude certain types of data so that you are not downloading very large files that you may not need or want.

You can also choose to download ONLY certain types of files. This is great for culling images, getting just PDF files, or just movie files.



Choose when to start. If you leave the default of 'Immediately after this wizard', then Grab-a-Site will begin downloading as soon as you hit next. If you choose 'Later' because you are not online, or you want to add more URLs, you will hit the Go button to start the download.

#### 4.2.2 Import URL(s)...

You provide Grab-a-Site with a text file full of URLs, or an HTML file with links. Grab-a-Site will add all of the URLs from the text file, or all of the URLs from the links in the HTML file.

## 4.3 Grabbing

Hit the  button to begin grabbing web sites. Grab-a-Site will follow all of the links and get the files and put them in a folder.

The folder will have the same name as the project. If your project is joe.gas, then the folder with the files will be joe\src. If you have [Use Domain in Directory](#) turned on, there will be additional folders.

If you have the Grab Status window turned on, you will see the pages that are pending, and how much data has been sent and received, and how many simultaneous connections (Threads) that the program is using.

## 4.4 Refresh

To refresh a project, hit the  button. Refresh is the same as [Grabbing](#), except that it will ask the server to send the page again if it has been modified since the last time it was grabbed. It will also resume grabbing if the previous grab was stopped early. If new links have been added to recently changed pages, those will be followed also (subject to the [project's filters](#)).

## 4.5 Contents Page


The contents page is automatically written by Grab-a-Site when the project finished [Grabbing](#). The page has links to all the pages you've [added](#).

You can edit `head.htm` and `foot.htm` in the program directory. `head.htm` will be added before the links, and `foot.htm` will be added after the links. This allows you to fully customize the contents.htm page to your liking. Our sample `head.htm` and `foot.htm` files have some simple formatting and a style sheet that you can use as a starting point.


The Title you set in Grab-a-Site will be used when the contents.htm file. You can modify the to title to name your grabbed web sites.

## 4.6 Grab-a-Site Options

Grab-a-SiteGrab-a-SiteThe Grab-a-Site options apply to all projects.



You can set the browser and editor that Grab-a-Site uses when launching pages.



**Maximum Threads** - The number of active connections Grab-a-Site will use when downloading pages and graphics.

**Maximum Threads Per Server** - The number of active connections Grab-a-Site will use when downloading pages and graphics from a single server. You should keep this limited so it does not bog down someone's server with too many simultaneous active connections.

**Maximum Bytes to Grab (in Kilobytes)** - This limits the amount of data that Grab-a-Site will get during a Grab or a Refresh.


**Maximum Amount of Time to Grab (HH::MM)** - Limits the amount of time that Grab-a-Site will work when you hit Grab or Refresh.

**Use Domain in Directory** - Stores the files for each site in a different directory. For example: If you were getting <http://www.ibm.com>, the files would be stored in an `ibm.com` subdirectory, while the files from <http://www.visa.com> would be in the `visa.com` subdirectory.

**Preserve Site Structure** - Store the files in a subdirectories which mirror the directory in the URL. For example, the page from <http://www.ibm.com/goodies/page.htm> would be stored in a `...\goodies` subdirectory on your hard drive.

**Use MS-DOS 8.3 Filenames** - Creates 8.3 filenames from the online page names. This can be used for backwards compatibility with the oldest of systems.


**User Agent** - Lets you set how Grab-a-Site reports itself to the web servers. By default, it sends "Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1.)" which makes it look like an Internet Explorer version 6.0.



If you connect through a Proxy server, you should set **Use Browser's Proxy Settings** which will get the settings from your Internet Explorer's settings. Most users will not need to set this information.

## 4.7 Project Properties

You can set certain properties that apply to the project. Go to File->Project Properties.




You can run a program after you finish grabbing the files. By default, it runs your browser with a


special contents.htm page it builds from the top-level URLs you've added.

This can very useful for running a post-processing program like language translation, a spell checker, a link verifier, an ftp transfer, etc.

### Replace Tab



You can do an automatic search and replace. This can be useful to remove scripts, fix up errors on the original site, replace relative URLs with absolute URLs when necessary, etc.




### Edge Links

Edge links are links that were not grabbed because the links were not part of the site, or the links are beyond the number of levels specified, or the links were excluded because of the filters you have set for the project.

By default, Grab-a-Site will set links to ungrabbed pages to their absolute URL reference so that they will work from a CD if the user is online. You can change the edge page to any fixed URL or file you'd like. If you set the URL to an absolute URL reference, it will be the same URL for every

ungrabbed page. You can also set it to a file like edge.htm and Grab-a-Site will copy all files from the Grab-a-Site\edge directory when it exports the site.

## 4.8 URL Properties




You can get to URL Properties by choosing Edit->URL Properties..., or [right click](#) on a URL and choose URL Properties.

If it is a URL that you added, you can change the URL. The Title is extracted from a successfully downloaded page. The folder is the location of the page on your hard drive. The file is the name of the file, which won't always match the original because the filenames must be unique.

You can change the number of levels that Grab-a-Site will follow by changing the Levels. It will apply from that URL and down.

If you **Skip this URL**, it will not follow any links from that URL during a [Grab](#) or [Refresh](#).

You can browse to the directory by hitting the [Browse](#) button, and you can Launch the page in your browser by hitting the [Launch](#) button.



You can set filtering options for each URL. If the filtering options are not set, the URL will inherit the options from its parent. If you do set it, it will be in effect for that URL's links and download.


**Remain in Site** - will keep Grab-a-Site in the original domain, with one exception. If you enter `www.domain.com`, then it will follow other `*.domain.com` links. If you use `store.domain.com`, then only `store.domain.com` links will be followed.

**Remain in Directory** - will keep Grab-a-Site from straying from the directory. If you entered `http://www.domain.com/support/index.html`, then only those pages in the `/support/` directory will be followed.

**Exclude** - will quickly set up filters to exclude certain types of files by their reported [MIME](#) tag.

Use the powerful [Advanced Filter](#) if you need very fine control of what is included or excluded.

**Only download these types of files** will throw away the HTML pages after it follows the links looking for the type of files that you want. This feature would let you get all the .PDF files from a site for example. This is one of the very unique features of Grab-a-Site which lets you get all the graphics from a site, or all the PDF files, or all the programs, etc.




The image shows a dialog box titled "URL Properties" with a close button (X) in the top right corner. The dialog has four tabs: "Grab", "Filter", "Authentication", and "Notes". The "Authentication" tab is currently selected. Inside the dialog, there is a text prompt: "Enter a user name and password if required by this site:". Below this prompt are two input fields. The first is labeled "User Name:" and the second is labeled "Password:". At the bottom of the dialog, there are four buttons: "OK", "Cancel", "Apply", and "Help".

If the site you are visiting requires a password, enter it here. This only works if the site uses browser based authentication. The sites where the password is entered directly on the page will not work.

Use the Notes tab to enter notes about the URL.

### 4.8.1 Advanced Filter



The Advanced filter is extremely powerful, and will let you get almost any combination of pages or file types.

**Stay On Site** - A simple check box that adds the domain inclusion filter.


**Stay In Directory** - A simple check box that adds the directory inclusion filter.

**Document Size** - Excludes files that are over a certain size, provided the web server supplies the Content-Length header.

Some of the things you can do with filters:

- Exclude portions of a web site by not getting pages in a certain directory.
- Get only certain areas of a web site by including only certain directories.
- Keep ads from being downloaded by excluding links to doubleclick.com and other ad engine sites.
- Keep certain types of files from being downloaded to save time and bandwidth.

You can add new filters based on MIME type or URL. Using URL, you can include/exclude by domain, directory, file, or by file extension.



You can filter based on the [URL](#) or [MIME type](#).

You can Include or Exclude based on the filter.

Kept - Keeps the file.

Discard - Does not download or keep the file, unless it is an HTML link that it needs to

Enter the text to match and how to match the text.

Some examples:

- If you are filtering by file extension, enter ".exe" and check "End with the above text"
- If you are filtering by directory, enter "/somedir/" and check "Contain the above text"
- If you are filtering by domain, enter "http://www.somesite.com/" and check "Begin with the above text"

## 4.9 File Location

You can save the .GAS file wherever you'd like. A folder will be created with the same name (without the extension). This newly created folder will contain all of the files that you grab, and some database files that are necessary for Grab-a-Site to keep track of where it has been and not go into a loop.

Example:

C:\Temp\MySite.GAS - Your original .GAS file

C:\Temp\MySite\ - Folder where all the files for the MySite project are stored.

C:\Temp\MySite\GS\*.DBF - Databases that Grab-a-Site uses to track where it has been.


C:\Temp\MySite\src\ - Location of html files

C:\Temp\MySite\src\www.somedomain.com\ - Location of files from http://www.somedomain.com if

"[Use domain in directory](#)" is set.

C:\Temp\MySite\src\www.somedomain.com\somdir\ - Location of files from  
http://www.somedomain.com/somdir/ if "[Preserve Site Structure](#)" is set.

## 4.10 Export



Export will copy all of the essential files to a new location.

Example uses:

- Copy them to a network location so that students can use the files.
- Copy them to a removable disk for archival.
- Copy them to a new web server.
- Copy them to a temporary location so they can be burned onto a CD.
- Copy them to a floppy disk.

If you check **Autorun.inf**, additional files will be added so the CD will automatically run and the contents page will be launched when in the CD is inserted into a Windows computer.

Requirements for Autorun:

- The files must be burned to a CD ROM or CD R/W
- The Autorun.inf, and contents.htm must be in the root directory of the CD

## 5 Menu and Toolbar

Enter topic text here.

### 5.1 File

**New Project** - Creates a new project

**Open Project** - Opens an existing project

**Project Properties** - Set [Project Properties](#)

**View Contents** - Launches the generated contents.htm page

**Import URL(s)...** - Reads in a list of URLs from a text file or links from an HTML file

**Export Content** - Copies web pages, graphics, etc to a new location

**<Project>** - Opens a previous project

**Exit** - Exits Grab-a-Site

### 5.2 Edit

**URL Properties** - Opens the [URL Properties](#) dialog

**Insert (INS)** - Adds a new top level URL to the project

**Delete (DEL)** - Removes the selected top level URL from the project

**Cut** - Removes the selected top level URL from the project - puts URL on clipboard

**Copy** - Copies the URL to the clipboard

**Paste** - Pastes a URL from the clipboard to Grab-a-Site and starts [URL Wizard](#)

## 5.3 View

**Toolbar** - Turns the toolbar on and off

**Status Bar** - Turns the status bar on and off

**Grab Window** - Turns the Grab Status window on and off

## 5.4 Tools

**Start [Grabbing](#)** - Starts the grabbing process.

**Start [Refresh](#)** - Refreshes URLs that have been grabbed already, and resumes a stopped grab.

**Stop [Grabbing](#)** - Stops the grabbing process.

**Program Options...** - Lets you set the Grab-a-Site Options.

**Update**

**Update Now!** - Updates the program to the latest version.

**Undo Last Update...** - Reverses the last update to restore the program to its previous version.

**Update Settings...** - Set the update settings (frequency, etc.)

## 5.5 Help

**Help Topics** - Launches the Help file

**Register...** - Lets you register the program and set VIP Key

**About...** - Provides version information and [company information](#)

## 5.6 Toolbar

-  - New Project
-  - Open Project
-  - Start [Grabbing](#)
-  - [Refresh](#)
-  - Stop [Grabbing](#)
-  - [URL Properties](#)
-  - [Add URL](#)
-  - Delete URL
-  - Cut
-  - Copy
-  - Paste
-  - Icon View
-  - List View
-  - Details View
-  - Launch the [Contents Page](#)
-  - Visit [Blue Squirrel](#)

## 6 Right-Click Menu

You can select items and right-click to get additional options that apply to that URL or item.

## 6.1 URL Properties

See [URL Properties](#)

## 6.2 Grab URL

Begins [grabbing](#) the selected [URL](#).

## 6.3 Refresh URL

Begins [refreshing](#) the selected URL.

## 6.4 Browse Local

Launches your browser and loads the local (hard drive) version of the file.

## 6.5 Browse Remote

Launches your browser and takes you to the Internet version of the URL.

## 6.6 Skip URL

Selecting this will set the URL to be skipped when [grabbing](#). This is great when you want to grab portions of a site. You can grab the first level and then skip all the sections you don't want.

## 6.7 Delete URL

Will delete the selected item. You can also [hit the \[DEL\] key](#). The option is only available for URLs you've added ("root URLs")

## 6.8 Edit HTML File

Launches an editor with the file. You can set your favorite editor with [Program Options](#).

## 6.9 Export URL Tree

Exports the web site from that URL and down.

## 6.10 Export URL Page

Exports that page and its graphics.

# 7 Advanced

## 7.1 Hot Keys

INS - [Add a URL](#)

[DEL] - Delete currently selected item. You can only delete URLs you've added ("root URLs")

## 7.2 Command Line Options

One of the unique features of Grab-a-Site is the ability to use it as a command line utility to get files.

All command line options apply only if a project is also specified on the command line.

```
/a<url> Add URL
/i<file> Import URL's from file

/u      Unattended - start grabbing
/e      Exit after finishing unattended grab
```

These apply to new URL's (/a or /i)

```
/c      StayOnSite on
/c0     StayOnSite off
/c1     StayOnSite on
/l      All Levels
/lx     Go x Levels
```

Example:

```
GrabSite.exe C:\TEST\TEST.GAS /ahttp://www.ibm.com /l2 /c1 /u /e
```

This would grab IBM's site two levels, and would stay on site so if IBM had a link to lotus.com it wouldn't be followed.

## 7.3 Hidden Options

In your project file (.gas), you can modify what Grab-a-Site uses for the Shell command. You would only change this if you are running programs after the Grab, and the shell command is not right for your operating system.

```
[GAS]
Shell=command.com /c
```

# 8 Customer Support

The User's Guide will supply most of what you need to know to be productive with Grab-a-Site. Below we have listed several options to choose from to assist you with any help you may need using Grab-a-Site. Additional information about Grab-a-Site can be found in the README file.

## 8.1 Help File

To access the Grab-a-Site help file, click Help > Help Topics. We encourage you to use Grab-a-Site help, because it's a complete, informative reference system. In addition, Help offers several advantages over the printed manual.

In the Help Index, you can type in a keyword, and the program automatically looks it up for you. While reading the Help file you can click on a "hot" phrase to jump to a related topic. And later you can retrace your steps; flipping backwards through the topics you jumped from. Or you can read topics in order, like turning the pages of a book, either forward or backward.

## 8.2 Web Site

Program Web Site:

<http://www.bluesquirrel.com/products/Grab-a-Site>

If you cannot find the information you need at the program web site, try our FAQs located in our Technical Support area for assistance.

<http://www.bluesquirrel.com/support/>

## 8.3 Technical Support

Our web based technical support and Frequently Asked Questions can be found at:

<http://www.bluesquirrel.com/support/>

## 8.4 Customer Service

You're more than welcome to contact us via telephone. If you would like to speak with a Blue Squirrel representative regarding non-technical issues please select from the following options:

Phone: 801-352-1551

Toll Free: 800-403-0925

Fax: 801-912-6032

E-mail: [sales@bluesquirrel.com](mailto:sales@bluesquirrel.com)

Hours are: Monday through Friday, 8:00 a.m. to 5:00 p.m. Mountain Time.

## 8.5 Mailing Address

Blue Squirrel  
686 E. 8400 South  
Sandy, UT 84070

## 9 Glossary

**Directory** - The part of a URL that identifies the location of the file in the web folders. In <http://www.ibm.com/help/page.html>, help is the directory.

**Domain** - The part of a URL that identifies the computer. In <http://www.ibm.com/help/page.html>, www.ibm.com is the domain.

**Edge Pages** - The edges are links that are not followed because they don't match the filter, or they are on a different site, or because they are going to level four when the program is told to stop at level three.

**Levels** - The number of clicks it would take to get to a page. If you enter a URL, and specify one level, it will only get that page. If you specified two levels, it would get that page and everything it links to. If you specified three levels, it would get that page, everything it links to, and everything those pages linked to. If you specified four levels... Well, you get the picture.

**MIME type** - A text identifier that is sent with web pages that identify the type of file. It might be text/plain, text/html, application/exe, etc.

**Page** - The part of a URL that identifies the file. In <http://www.ibm.com/help/page.html>, page.html is the page.

**URL** - A Uniform Resource Locator, sometimes known as a link. <http://www.ibm.com/help/page.html> is a URL.

# Index

## - A -

Activation 5  
Advanced Filter 16

## - B -

Blue Squirrel Location 22  
Browse Local 20  
Browse Remote 20  
Browser Emulation 8  
Buying the program 4

## - C -

CD 4  
Customer Service 22

## - D -

Delete URL 20  
Directory 22  
Domain 22

## - E -

Edge Pages 11  
Edit HTML File 20  
Electronic Registration 4  
Export 18  
Export URL Page 20  
Export URL Tree 20

## - F -

Fax Registration 4  
Filter 13

## - G -

Grab URL 20

Grab-a-Site Options 8

## - H -

Help File 21

## - I -

Installing 3  
Installing from the CD 4  
Introduction 3

## - L -

Levels 22  
License Key 5

## - M -

Mailing Address 22  
MIME type 22

## - P -

Page 22  
Project Properties 11

## - R -

Refresh URL 20  
Remain in Directory 6  
Remain On Site 6  
Removing the program 4  
Requirements 3  
Right-Click Menu 19  
Run After 11

## - S -

Search and Replace 11  
Set Filter 13  
Site Structure 8  
Size 8  
Skip URL 20

**- T -**

Technical Support 22  
Threads 8  
Threads per Server 8  
Time 8

**- U -**

UnInstalling 4  
URL 21, 22  
URL Properties 13  
User Agent 8

**- V -**

VIP Key 5

**- W -**

Web Site 21