



# Blue Squirrel **WebWhacker**<sup>TM</sup>

Macintosh

Information in this document is subject to change without notice and does not represent a commitment on the part of Blue Squirrel. The software described herein, including all associated documentation and data, is the exclusive property of Blue Squirrel or its suppliers and is furnished only under a license agreement defining the terms and conditions governing its use by licensee. It is against the law to copy the software except as specifically allowed in the license agreement. No part of this document may be reproduced or transmitted in any form or by any means, including without limitation graphic, electronic, photocopy, facsimile, taping or mechanical reproduction of any kind without the prior written approval of Blue Squirrel.

Copyright © 1995–2000 Blue Squirrel. All rights reserved. Printed in the United States of America. The Blue Squirrel stylized logo is a trademark of Blue Squirrel.

Blue Squirrel, Round Table, and WebWhacker are trademarks of Blue Squirrel.

Use of this product is subject to the terms of the accompanying License Agreement(s).

#### U.S. Government Restricted Rights Legend

The Software and documentation are provided with RESTRICTED RIGHTS. Use, duplication, or disclosure by the Government is subject to restrictions as set forth in subparagraph (c) (1) of The Rights in Technical Data and Computer Software clause at DFARS 52.277–7013 or IN subparagraph (c) (1) (ii) and (20) of Commercial Computer Software–Restricted Rights at 48 CFR 52.227–19, as applicable. Contractor/manufacturer is Blue Squirrel, 170 West Election Drive, Suite 125, Draper, Utah, 84020

#### Acknowledgment

Certain portions of the software are property of and copyright © 1990–1994 by Aladdin Systems, Inc., Raymond Lau and Sterling Software.

Apple, Macintosh, Mac, AppleTalk, Open Transport, and MacTCP are either trademarks or registered trademarks of Apple Computer, Inc.

Microsoft, MS, Windows, Windows NT, Windows 95, Windows Explorer, and Internet Explorer are trademarks or registered trademarks of Microsoft Corporation.

Netscape and Netscape Navigator are trademarks of Netscape Communications Corporation.

All other products and brand names are trademarks or registered trademarks of their respective holders.

Blue Squirrel  
170 West Election Drive, Suite 125  
Draper, Utah 84020

<http://www.bluesquirrel.com>

## Table of Contents

<b>1. Introduction</b>	Who Can Use WebWhacker? . . . . .	1-4
	What's New? . . . . .	1-5
	Using WebWhacker . . . . .	1-6
	WebWhacker Window . . . . .	1-7
	Customer Support . . . . .	1-8
<b>2. Installing Web-Whacker</b>	System Requirements . . . . .	2-4
	Upgrading from Previous Versions . . . . .	2-5
	Installing WebWhacker . . . . .	2-7
	Setting Program-Wide Preferences for WebWhacker . . . . .	2-8
	Importing WebWhacker 1.0 Groups . . . . .	2-9
	Uninstalling WebWhacker . . . . .	2-11
<b>3. Using WebWhacker</b>	Adding a New URL . . . . .	3-4
	Grabbing a URL . . . . .	3-8
	Working with Categories . . . . .	3-13
	Adding Categories . . . . .	3-15
	Deleting Sites and Categories . . . . .	3-16
	Moving a URL to a New Category . . . . .	3-17
	Changing a Site's Whack Status . . . . .	3-18
	Whacking Sites . . . . .	3-19
	Browsing Sites . . . . .	3-20
	Displaying a List of URLs . . . . .	3-21
	Searching the Database . . . . .	3-24
	Viewing Modified URLs . . . . .	3-26
	Renewing Subscribed URLs . . . . .	3-27
	Viewing the Error List . . . . .	3-29
	Updating URL Properties . . . . .	3-30
	Viewing Attribute Properties . . . . .	3-32
	Updating Security Properties . . . . .	3-33
	Modifying URL Frequency Properties . . . . .	3-35
	Viewing Error Properties . . . . .	3-37
	Updating URL Whack Level Properties . . . . .	3-39
	Deleting URLs . . . . .	3-42



<b>4. Advanced Features</b>	Scheduling a Whack or Renewal . . . . .	4-4
	Creating Filters . . . . .	4-6
	Setting Preferences . . . . .	4-8
	Setting General Preferences . . . . .	4-9
	Setting Browser/Mail Preferences . . . . .	4-11
	Setting Network Preferences . . . . .	4-12
	Setting Proxy Server Preferences . . . . .	4-13
	Setting Scheduling Preferences . . . . .	4-14
	Exporting Files . . . . .	4-17
	Using FTP with WebWhacker . . . . .	4-19
<b>5. Reference Section</b>	Glossary . . . . .	5-4
	Known Problems and Limitations . . . . .	5-10

# Chapter 1



## Introduction

Who Can Use WebWhacker?.....	1-4
What's New? .....	1-5
Using WebWhacker.....	1-6
WebWhacker Window .....	1-7
Customer Support .....	1-8



## Introduction



WebWhacker is an off-line browsing tool that enables you to save your favorite Web sites, organize them into categories, and use your favorite Web browser to surf the Net off-line—with faster loading and no additional on-line charges. Developed by the Blue Squirrel, WebWhacker downloads entire Web pages or sites—including text (HTML), images, and other objects—and stores them on your local desktop machine or your file server. By reducing your dependency on an Internet connection, WebWhacker saves you time and money.

### How It Works

For each of your favorite Web sites, you subscribe to its URL, assign it to a category, specify how many levels you want to download, and decide how often you want your subscription to be renewed. Then you *whack*, or download, the site to your local machine. Whacked sites provide a locally stored mirror image of the original Web site which can be viewed and navigated locally with your Web browser. Besides being economical, this approach gives you more control.

### Back Up Your WebWhacker Database

Be sure to include the WebWhacker DataBase file in your daily backup schedule. All databases rely on intricate linkages among the various pieces of information. For this reason, databases are, by their very nature, more subject to corruption problems than are other file types, and it is important to back them up regularly. WebWhacker stores all the linkage compactly in a single DataBase file; the additional HTML and other information is stored in additional files, which are not as critical to your backup strategy.



## Introduction

---

# Who Can Use WebWhacker?

Different groups can use WebWhacker to increase their productivity, protect their data, and decrease their on-line costs.

### **Businesses**

Corporations can use WebWhacker to:

- Create firewalls, helping to insulate the company network or server from illegal outside access.
- Train employees in Web techniques without on-line access.
- Lower on-line costs by storing frequently accessed Web sites locally.
- Limit recreational surfing by employees.
- Keep information up-to-date by setting automatic renewals.

### **Educators**

Schools can use WebWhacker to:

- Create focus sites on topics relevant to current curriculum.
- Save teacher time by eliminating the need to monitor student choices.
- Reduce connect charges by directing and speeding up searches to desired and appropriate topics.
- Limit liability by pre-censoring the available sites.

### **Individuals**

Individuals can use WebWhacker to:

- Create off-line presentations to demonstrate products or sites without “live” Web access.
- Store favorite sites to create a “super bookmark” file with free access.
- Set automatic updates to ensure access to the latest version of Web sites.



## What's New?

### **Integrated Site Categorization/Web Manager**

WebWhacker now includes the categorization features formerly found in the Web manager program. The WebWhacker database keeps track of category information, and the tree view is now part of the main WebWhacker window. As before, you can use the default categories or create your own to better manage large numbers of whacked sites.

### **Subscription Assistant**

WebWhacker now uses the Subscription Assistant to help you quickly and easily set up necessary parameters for a "whack."

### **Improved Content Handling**

WebWhacker no downloads background sounds, dynamic images, and Shockwave objects.

### **Blue Squirrel InstantX**

WebWhacker for Macintosh now includes Blue Squirrel InstantX, allowing you to send your registration information across the Internet.

### **Background Whacking**

WebWhacker now whacks web sites in the background, allowing you to continue to use your computer to perform other tasks.

### **Content Filters**

WebWhacker now allows you to decide exactly which content to download and which content not to download. For example, you can instruct WebWhacker not to download .WAV Windows sound files or any files over 100KB. The filter combinations are endless.

### **Removable Storage Support**

You can now export web sites to removable storage such as Zip disks or Jaz cartridges.

### **Improved Java Support**

WebWhacker now downloads more Java than ever!



## Introduction

---

# Using WebWhacker

Using WebWhacker, you can capture your favorite sites into a proprietary database either by typing in a known URL (“adding” it) or by “grabbing” the site currently loaded in your Web browser. Once a site has been downloaded—or “whacked”—you can use WebWhacker to browse it while connected or off-line.

### WebWhacker Database

WebWhacker uses a special folder (named `webWhacker DataBase f`) for its database (named `WebWhacker DataBase`) which stores indexing and linking information on all the URLs you’ve selected and whacked. The `webWhacker DataBase f` folder also holds copies of the HTML and image files for each URL. These whacked pages are exactly the same as the original pages. By setting the *Updating URL Whack Level Properties*, you control how many levels of a Web site WebWhacker copies.

### Off-Line Browsing

If you’re not connected, you can still look at all the sites in your database. By using the scheduling function, you can be assured that the sites are kept up-to-date on a daily, weekly, or monthly basis. Of course, you can also rewhack individual sites or refresh your entire database at any time. See *Renewing Subscribed URLs*.

### Organize Your URLs

Use WebWhacker to organize your whacked URLs and other favorite sites into categories and subcategories for easier tracking. As your needs change, add or subtract categories and subcategories.

You might want the categories to be general subjects. Or perhaps you want to categorize your URLs by business topics; for example, clients, vendors, and competitors. Or, if several people use a single machine, each person might want to set up a personal set of subcategories.

### Related Pages:

Adding a New URL, pg. 3-4


Grabbing a URL, pg. 3-8

Updating URL Whack Level Properties, pg. 3-39

Renewing Subscribed URLs, pg. 3-27

## WebWhacker Window

The heart of WebWhacker is its main window.



### Toolbar

The Toolbar gives you immediate, one-click access to WebWhacker's most commonly used functions.

### List of URLs

The main window displays whacked sites in categories such as Arts, Business, and Education—or any other system you want. Each category appears as a folder containing the assigned sites and any subcategories you create. When you add a URL, you can assign it to a category, and you can later change a URL's category if you like.

### Whack Status Bar

The Whack Status Bar contains information about the status of a whack in progress.



## Introduction

---

# Customer Support

The first line of support should be this manual and the online Guide help file. To access the Guide help file, go to the question mark in the upper right corner of your menu bar and select **WebWhacker Guide**.

### Visit Our Web Site

If you cannot find the information you need in either of these sources, contact us at our Web site. All of the support options are detailed on our Customer Support home page: <http://www.bluesquirrel.com/support/support.html>.

## Chapter 2



### Installing WebWhacker

System Requirements.....	2-4
Upgrading from Previous Versions.....	2-5
Installing WebWhacker.....	2-7
Setting Program-Wide Preferences for WebWhacker.....	2-8
Importing WebWhacker 1.0 Groups.....	2-9
Uninstalling WebWhacker.....	2-11



## Installing WebWhacker



WebWhacker integrates many aspects of your Web viewing. Since it brings together your desktop computer or company network with your Web browser, and, ultimately, the entire Internet, the setup routine involves just a bit more than copying the program to your hard drive.

### Installation Procedure

- | Step | Procedure   |
|------|---|
| 1.   | Install the WebWhacker program. See <i>Installing WebWhacker</i> .  |
| 2.   | Set program-wide preferences for WebWhacker. See <i>Setting Program-Wide Preferences for WebWhacker</i> . |

If you are upgrading from a previous release of WebWhacker and want to migrate your earlier groups or database to the new program version, you must perform additional steps. For details, see *Upgrading from Previous Versions*.

### Related Pages:

Installing WebWhacker, pg. 2-7  
Setting Program-Wide Preferences for WebWhacker, pg. 2-8  
Upgrading from Previous Versions, pg. 2-5



## Installing WebWhacker

---

### System Requirements

#### Required

In order to run WebWhacker, you must have at least the following setup:

- 68020 or higher class machine
- System 7.5 or higher with Open Transport enabled. Certain models (some Performas, for example) can only use Open Transport with System 7.6 or later, and thus must be upgraded to 7.6 or 8.0 before installing WebWhacker.
- 8MB RAM. Additional memory makes WebWhacker run faster.
- 10 MB free hard drive space (2 MB for the program; 8 MB for whacked sites)
- Active Internet connection with Open Transport, using SLIP, PPP, or direct connectivity. Modem connections require a 14.4 modem or higher speed link. The amount of time required to transfer data to the server will vary depending on the speed of your connection, as well as the amount of data involved.
- Web browser such as:
  - Internet Explorer™ version 2.0 or higher (production versions recommended)
  - Netscape Navigator™ version 2.0 or higher (production versions recommended)
  - Enhanced Mosaic™ version 2.0 or later (production versions recommended)
  - or other SpyGlass SDI standard-compliant browser.

#### Viewing Requirements

A Web browser is required only for **viewing** whacked URLs. You can **whack** (that is, download) URLs from the Internet with any Web connection.

#### Recommended

For best results, we recommend the following setup:

- 68040 or PowerPC machine
- 16 MB RAM
- System 7.6
- Additional hard drive space

If you wish to use Internet Config with WebWhacker, you must be running Internet Config version 1.3 or higher.



## Upgrading from Previous Versions

WebWhacker's installation routine takes care of most of the work of upgrading from previous versions. If you are only upgrading the software, no additional steps are needed. If you are also bringing along groups created in version 1.0, or whacked sites created under any earlier version, you will add a few steps to the normal installation process.

### Warning

**Do not delete your folder or group files if you are upgrading from WebWhacker 1.0, or your WebWhacker DataBase file if you are upgrading from 2.0** and you want to retain your previously whacked sites. To migrate Version 1.0's groups of subscribed URLs into the new product, you must import the database group files and rewhack the sites. To migrate the database from 2.0, you must make sure the database file is in the same folder as the new program. Note that, under current versions, you may have only one database, so move your old database into the new folder before you whack any additional sites.

### Upgrading from 1.0

#### Step Procedure

1. Install and configure WebWhacker. See *Installing WebWhacker* and *Setting Program-Wide Preferences for WebWhacker*.
2. Import your earlier groups of subscribed URLs. See *Importing WebWhacker 1.0 Groups*.
3. Rewhack the URLs you have just imported.

#### Related Pages:

Installing WebWhacker, pg. 2-7

Setting Program-Wide Preferences for WebWhacker, pg. 2-8

Importing WebWhacker 1.0 Groups, pg. 2-9



## Installing WebWhacker

---

### Upgrading from 2.0

### Step Procedure

1. Install the new WebWhacker version in the same directory as your old version, following the instructions in *Installing WebWhacker*. When you reach step 5, be sure to navigate to the folder holding your current WebWhacker installation.

OR

If you wish to install the new WebWhacker version in a different folder, follow the instructions in *Installing WebWhacker*. When you reach step 5, choose a folder other than the one holding your current WebWhacker installation. When you finish installing the new version,

- locate the file named WebWhacker DataBase;
- press Command-D to make a duplicate of the file;
- drag the duplicate file to the folder holding your new WebWhacker installation; and
- rename the duplicate file WebWhacker DataBase.

2. Configure the program as outlined in the rest of this chapter. See *Setting Program-Wide Preferences for WebWhacker*.

### Related Pages:

Installing WebWhacker, pg. 2-7

Setting Program-Wide Preferences for WebWhacker, pg. 2-8



## Installing WebWhacker

### Installing WebWhacker Step Procedure

1. **If you are working from an installation disk**, insert disk 1 in your floppy drive. Double-click **WebWhacker Installer** to start the installation process.  
**If you have downloaded WebWhacker as an .HGX file**, convert the file by dragging it onto your StuffIt Expander™ or similar utility. Double-click the converted **.SEA** file to start the WebWhacker Installer.
2. When the WebWhacker splash screen appears, click **Continue** to engage the installation process.
3. The License Agreement loads. Read the Agreement and then click **Continue** to signify your agreement to the terms.
4. A screen loads, asking you to specify what operating system you are using and to choose how much of the program to load. Click on each option and read the descriptive text that appears. Choose the correct option for your system, then click **Install**.
5. In the dialog box that appears, navigate to select the folder in which you want to install WebWhacker. Click **Install**.
6. The Setup program copies all necessary files to your hard drive and creates a folder containing WebWhacker and related files.
7. WebWhacker notifies you when installation is complete. Choose **Quit** to exit the installation program.

### Next Step

After installing WebWhacker, you should set up your WebWhacker program preferences. See *Setting Program-Wide Preferences for WebWhacker*.

### Related Pages:

Setting Program-Wide Preferences for WebWhacker, pg. 2-8



## Installing WebWhacker

---

# Setting Program-Wide Preferences for WebWhacker

Before using WebWhacker, you should set up your Web browser's location, cache passthru status, and connection preferences. To set other preferences, see *Setting Preferences*.

### Setting Preferences

#### Step Procedure

1. From the WebWhacker Tools menu, choose **Preferences**.
2. Select the **Browser/Mail** page. Under the **Web Browser** option, click the **Choose...** button to navigate your hard drive and find your Web browser.
3. If you are accessing the Internet from behind a firewall or company proxy server, select the **Proxy Server** page. Enter the name or IP address and port number for the **Remote Proxy** in the **HTTP** and **Port** text boxes. Contact your network administrator for this information.
4. When you have finished setting preferences, click **OK**.

### Next Step

To import WebWhacker 1.0 groups, see *Importing WebWhacker 1.0 Groups*.

#### Related Pages:

Importing WebWhacker 1.0 Groups, pg. 2-9



## Importing WebWhacker 1.0 Groups

If you acquired a useful database in WebWhacker 1.0 that you want to use in the new version of the program, the **Import** function allows you to import these groups of URLs. This function does **not** import the content of the previously whacked pages. It only brings the URLs of the sites into the WebWhacker window, ready for whacking. In order to access graphics and data from the sites, you must set whack levels and rewhack each URL.

If you are currently using WebWhacker 2.0 or later you do not need to worry about this procedure; 2.0 and 3.0 use the same group information.

### Limitation

The import function can only be used for WebWhacker 1.0 group files.

### 1.0 Groups vs. 2.0 Database

While WebWhacker 1.0 saved each group in a separate file, WebWhacker 2.0 and later versions save all whacked sites in a single database (WebWhacker DataBase file). You must import each version 1.0 group file separately.

### Importing a 1.0 database Step Procedure



1. Go to the File menu and choose **Import**.
2. Navigate the folder tree that appears to find the group file you want to import.
3. Click on the name of the group file you want to import.
4. Click **Open** to import the group file. WebWhacker reads in the URLs contained in that file, closes the folder tree window, and switches you to the main WebWhacker window. The imported URLs appear on the list, enabled for whacking.
5. Repeat steps 1-4 for each group file you want to import.



## Installing WebWhacker

---



6. When all the groups have been imported, click on the **Whack** button to begin whacking the URLs, downloading their HTML and associated files into the WebWhacker database. See *Whacking Sites*.

**Related Pages:**  
Whacking Sites, pg. 3-19



## Uninstalling WebWhacker

WebWhacker is easily removed from your system.

### Uninstalling WebWhacker

#### Step Procedure

1. Open your hard drive or the network drive on which you have installed WebWhacker.
2. If you really want to remove the program, drag the WebWhacker folder containing the executables and database files to the **Trash**.
3. Navigate to your **System Folder**, and then the **Preferences** folder within it. Locate the **WebWhacker Preferences** file and drag it to the **Trash**.



## Installing WebWhacker

---

## Chapter 3



### Using WebWhacker

Adding a New URL.....	3-4
Grabbing a URL.....	3-8
Changing a Site's Whack Status.....	3-18
Whacking Sites.....	3-19
Browsing Sites.....	3-20
Displaying a List of URLs.....	3-21
Searching the Database.....	3-24
Viewing Modified URLs.....	3-26
Renewing Subscribed URLs.....	3-27
Viewing the Error List.....	3-29
Updating URL Properties.....	3-30
Viewing Attribute Properties.....	3-32
Updating Security Properties.....	3-33
Modifying URL Frequency Properties.....	3-35
Viewing Error Properties.....	3-37
Updating URL Whack Level Properties.....	3-39
Deleting URLs.....	3-42





WebWhacker works by creating a database of URLs which have been subscribed to and whacked. Subscribing to a URL puts it into your database; allows you to assign a category, update frequency, and other properties for that particular URL; and then marks it for whacking. You can subscribe to a URL by typing in the complete URL of the Web page, or you can grab a site as you are browsing. Whacking (or downloading) a URL creates a copy of that site on your local hard drive or network server. Once you have whacked a site, you can view it again and again, without an on-line connection or additional connect charges.

**Creating Subscription    Step    Process**

1. Subscribe to the desired URL by either adding or grabbing the site. See *Adding a New URL* and *Grabbing a URL*.
2. Whack the site. See *Whacking Sites*.

**Related Pages:**

Adding a New URL, pg. 3-4  
Grabbing a URL, pg. 3-8  
Whacking Sites, pg. 3-19



## Using WebWhacker

---

### Adding a New URL

If you know the complete URL for a site, you use this procedure to type it into WebWhacker without having to access your browser. During the add process you can specify a category, update frequency, and other properties for the URL. If you want to use the browser to add the URL to WebWhacker, use the procedure *Grabbing a URL*.

#### Category

When you add a new URL, you can assign it to a category. If you want to change the site's category, use the procedure *Moving a URL to a New Category*.

#### Whack Levels

The whack levels you specify determine the number of pages WebWhacker acquires when it whacks the site. You can choose to whack only a single page, to whack links from the page and from the linked pages, or to whack all the pages linked to the page and all its linked pages. You can also decide whether or not you want to whack pages from other sites linked to the selected page.

#### Remain on Site

When WebWhacker begins whacking a Web site, it whacks all links to the level you specify. If the page has links to pages at another site, you might not want to whack those pages. You can use **Remain on Site** to keep WebWhacker from transversing links to other sites. You can only use the **Remain on Site** option if you are specifying a number of levels to whack; if you are whacking all the links from a page, **Remain on Site** is selected automatically and the option is disabled.

#### Update Frequencies and Scheduling Preferences

The URL Update Frequency property and the Scheduling preferences work together in performing whacks and renewals. The URL Update Frequency is an individual property set separately for each URL. The Scheduling preferences are global (within WebWhacker), applying to all URLs. Scheduling preferences override Update Frequency properties (WebWhacker only looks at Update Frequencies when the Scheduling Preference requests it). For instance, if your Scheduling preferences are set for weekly on a specific day (say, Sunday) but a single URL's Update Frequency property is set to daily, that URL will only be updated once a week (on Sunday). See *Modifying URL Frequency Properties*.

#### Related Pages:

Grabbing a URL, pg. 3-8

Moving a URL to a New Category, pg. 3-17

Modifying URL Frequency Properties, pg. 3-35



**Procedure**

<b>URL</b>		
Add...		⌘L
Grab		⌘G
Browse		⌘B
Enable Whack		⌘E
Disable Whack		⌘D
Whack Levels...		
Properties		⌘I

**Step Procedure**

1. From the URL menu select **Add**. WebWhacker starts the Subscription Assistant, which guides you through the subscription process.



2. Select the type of “whack” (http://, ftp://, or <empty>) from the **Prefix** drop-down list box. Most “whacks” you do will be the default type, http://. Click onscreen to place your cursor in the URL text box, then type the URL address for the site you want to add. Highlight a category for the URL (if necessary, click the triangle to the left of the word All to display the categories).
3. Click **Next** to go on to the second page of the Subscription Assistant.



## Using WebWhacker



4. Select the number of levels of this URL that you want to whack.
  - If you only want this page, set **Levels** to **1**.
  - If you want all the links from this URL and all the links from those pages as deep as possible, select **All Levels**. Selecting **All** turns on **Remain on Site**; you cannot turn off **Remain on Site** while **All Levels** is selected (this keeps it from trying to whack the entire Web).
  - If you want something between 1 level and all levels, type the correct number in the **Levels** text box, or use the spin buttons to set the number.
  - If you don't want WebWhacker to whack pages from other Web sites that are linked to this URL, select **Remain on Site**.
5. If the URL you selected requires a user name and password, type your user name and the password in the area labeled **Security**.
6. If you want to use a filter you have already defined to limit the files "whacked", select that filter from the **Filter** drop-down list box. See *Creating Filters* for more information.

**Related Pages:**  
Creating Filters, pg. 4-6



7. Click Next to go on to the third page of the Subscription Assistant.



8. Select the frequency you want for this site.
  - To whack this site only once and never renew it, select **Just This Once**.
  - To update this site every day (or week or month), choose **Daily** (or **Weekly**, or **Monthly**). If you select an update cycle, WebWhacker automatically updates the links according to the schedule you established in the Preferences.
9. Click **Whack it Later** or **Whack it Immediately** according to when you want the first “whack” to occur.
10. When you select **OK** in the Subscription Assistant, WebWhacker adds the URL to your site list and marks it for whacking. If you chose **Whack it Immediately**, WebWhacker immediately conducts all scheduled whacks.

**Next Step**

When you are ready to whack the site, go to the procedure *Whacking Sites*.

**Related Pages:**

Setting Scheduling Preferences, pg. 4-14  
Whacking Sites, pg. 3-19



## Using WebWhacker

---

### Grabbing a URL

You can easily add a new URL to your WebWhacker database by grabbing it from your Web browser. When you use this procedure, be sure you are viewing the site through the browser specified in your WebWhacker **Browser/Mail** preferences. For more information, see *Setting Browser/Mail Preferences*.

#### Whack Levels

The whack levels you specify in the URL properties determines the number of pages WebWhacker acquires when it whacks the site. You can choose to whack only this single page, whack links from the page and from the linked pages, or whack all the pages linked to the page and all its linked pages. You can also choose whether or not you want to whack pages from other sites linked to the selected page. For more information about setting whack levels see *Updating URL Whack Level Properties*.

#### Remain on Site

When WebWhacker begins whacking a Web site, it whacks all links to the level you specify. If the page has links to pages at another site, you might not want to whack those pages. You can use **Remain on Site** to keep WebWhacker from transversing links to other sites. You can only use the **Remain on Site** option if you are specifying a number of levels to whack; if you are whacking all the links from a page, **Remain on Site** is selected automatically and the option is disabled.

#### Update Frequencies and Scheduling Preferences

The URL Update Frequency property and the Scheduling preferences work together in performing your whacks and renewals. The URL Update Frequency is an individual property set separately for each URL. The Scheduling preferences are global (within the context of WebWhacker), and apply to all URLs. Scheduling preferences can override Update Frequency properties because WebWhacker only looks at Update Frequencies when the Scheduling Preference requests it. For instance, if your Scheduling preferences are set for weekly on a specific day (say, Sunday) but a particular URL's Update Frequency property is set to daily, that URL will only be updated once a week (on Sunday). For more information see *Modifying URL Frequency Properties*.

#### Related Pages:

Setting Browser/Mail Preferences, pg. 4-11  
Updating URL Whack Level Properties, pg. 3-39  
Modifying URL Frequency Properties, pg. 3-35




**Category**

When you grab a URL, the Subscription Assistant lets you assign it to a category. If you want to change the site's category classification, use the procedure *Moving a URL to a New Category*.

**Grabbing a Site**

**Step Procedure**

1. Using your Web browser, display the URL you want to grab.
2. Switch to WebWhacker and select **Grab** from the Toolbar. Or go to the URL menu and select **Grab**. WebWhacker starts the Subscription Assistant, which guides you through the subscription process.



3. If necessary, change the type of "whack" (`http://`, `ftp://`, or `<empty>`) from the **Prefix** drop-down list box and the URL address for the site you grabbed. Highlight a category for the URL (if necessary, click the triangle to the left of the word **All** to display the categories).

**Related Pages:**

Moving a URL to a New Category, pg. 3-17



## Using WebWhacker

4. Click Next to go on to the second page of the Subscription Assistant.



5. Select the number of levels of this URL that you want to whack.
  - If you only want this page, set **Levels** to **1**.
  - If you want all the links from this URL and all the links from those pages as deep as possible, select **All Levels**. Selecting **All** turns on **Remain on Site**; you cannot turn off **Remain on Site** while **All Levels** is selected (this keeps it from trying to whack the entire Web).
  - If you want something between 1 level and all levels, type the correct number in the **Levels** text box, or use the spin buttons to set the number. Although you can enter numbers up to 999 in this box, you will run out of hard drive space long before whacking 999 levels.
  - If you don't want WebWhacker to whack pages from other Web sites that are linked to this URL, select **Remain on Site**.
6. If the URL you selected requires a user name and password, type your user name and the password in the area labeled **Security**.

Using WebWhacker



7. If you want to use a filter you have already defined to limit the files “whacked”, select that filter from the **Filter** drop-down list box. See *Creating Filters* for more information.
8. Click **Next** to go on to the third page of the Subscription Assistant.



9. Select the frequency you want for this site.
  - To whack this site only once and never renew it, select **Just This Once**.
  - To update this site every day (or week or month), choose **Daily** (or **Weekly**, or **Monthly**). If you select an update cycle, WebWhacker automatically updates the links according to the schedule you established in the Preferences.
10. Click **Whack it Later** or **Whack it Immediately** according to when you want the first “whack” to occur.
11. When you select **OK** in the Subscription Assistant, WebWhacker adds the URL to your site list and marks it for whacking. If you chose **Whack it Immediately**, WebWhacker immediately conducts all scheduled whacks.

**Related Pages:**

Creating Filters, pg. 4-6

Setting Scheduling Preferences, pg. 4-14



## Using WebWhacker

---

### Next Step

When you are ready to whack the site, go to the procedure *Whacking Sites*.

**Related Pages:**  
Whacking Sites, pg. 3-19



## Working with Categories

WebWhacker displays Web sites according to categories such as Arts, Business, and Education, or any other categorizing system you want to use. Each category appears in the main window as a folder containing the assigned sites and any subcategories you have created.

You can use organize your URLs into categories and subcategories to make it easier to keep track of them. You might want the categories to be topics or areas of interest. Or perhaps you want to categorize your URLs by business topics; for example, clients, vendors, and competitors. Or, if several people use a single machine, each person might want to set up a personal set of subcategories.

### **Adding and Deleting Categories**

You can set up categories and assign URLs to one or more categories. Use the procedure *Adding Categories* to add new categories and subcategories, and the procedure *Deleting Sites and Categories* to delete categories you no longer need.

After you have established the categories you want, you can use the procedure *Moving a URL to a New Category* to move a URL between categories.

### **Displaying Categories and Contents**

The main window displays your subscribed URLs according to category.

Click the triangle next to a category folder

- to display its subcategory folders, if any,
- or to display its contents.

#### **Related Pages:**

Adding Categories, pg. 3-15


Deleting Sites and Categories, pg. 3-16

Moving a URL to a New Category, pg. 3-17



## Using WebWhacker

**Adjust Column Width** You can adjust the width of the URL and Title columns by dragging the bar that separates the names of each column.



You can use the categorized URLs to surf the Net, looking for information in a particular area. Basically, you just open your Web browser and WebWhacker, then double-click the sites you wish to view.

### Browsing

#### Step Procedure

1. Start WebWhacker.
2. In the main window, open the desired category folder.
3. Locate the URL you want to browse.
4. Double-click the name of the URL. WebWhacker starts your browser automatically and the page appears in your Web browser's window.




## Adding Categories

You can sort your database of subscribed URLs into as many (or as few) categories as you want. You may even create subcategories within a category. Each category or subcategory is displayed as a folder in the main window.

### Adding Categories

#### Step Procedure

1. From within the main window, click on the word **All** labeling the folder at the top of the list.
2. If you want to add a subcategory to an existing category, click on the name of the folder that should contain the subcategory.
3. From the Category menu, select **Add Category** to display the **New Category** dialog.



4. Type the name of the new category in the **Category Name** text box.
5. When you're finished, click **OK**.



## Using WebWhacker

---


### Deleting Sites and Categories

If you no longer need a URL or a category, you can delete it from the list. Deleting a category removes all the URLs assigned to that category also. If a URL is assigned to more than one category, it is only removed in the deleted category. It is not deleted from other categories.

#### Deleting sites and categories

#### Step Procedure

1. Click on the URL or category you want to delete.
2. Go to the Edit menu and select **Cut** or **Clear**.  
Or press delete or del on your keyboard.
3. WebWhacker removes the URL or category from your list.





## Moving a URL to a New Category

From time to time, your category needs may change. If one category becomes too large, you may want to create subcategories or even new main categories. You can easily move URLs to new categories without any need to go on-line or to re-type the information.

### Moving URLs to New Categories

#### Step Procedure

1. From within the main window, open the folder for the category which currently contains the URL you want to move.
2. Click on the URL you want to move. This selects the URL, which should now be highlighted.
3. Keeping the mouse button pressed, drag the URL to its new category folder. When the folder name is highlighted, release the mouse button.

OR

With the URL highlighted, go to the Edit menu and choose **Cut**. Then click on the folder to which you want to move the URL, go to the Edit menu, and choose **Paste**. If you use this method you will have to re-whack the pages (WebWhacker will inform you of this fact).

4. Your URL is now located in its new category folder. If you wish, open the new category folder to verify that your URL is present.



Using WebWhacker

## Changing a Site's Whack Status

Before you can begin whacking, you have to tell WebWhacker which URLs you want to whack. Enabled URLs have a whacking knife over their icon (  or  ). A small globe icon (  ) indicates that the URL site is still only on the Internet and has not yet been whacked, that is saved to your hard drive or local network server.

### Enabling/Disabling URLs Step Procedure

1. Click on the icon of each URL whose whack status you want to change.

Or select the URL, go to the URL menu, and select either **Enable Whack** or **Disable Whack**. WebWhacker changes the icon to indicate the site's new status.

URL	
Add...	⌘L
Grab	⌘G
Browse	⌘B
<hr/>	
<b>Enable Whack</b>	⌘E
Disable Whack	⌘D
Whack Levels...	
<hr/>	
Properties	⌘I

2. When you are ready to begin whacking, the enabled URLs are whacked based on the levels specified in their properties, while all unmarked URLs are excluded from the procedure. You can perform the whack at once, or you can set WebWhacker to whack all enabled URLs at a later time (for example, after hours when connection rates are lower.). Use the procedure *Setting Scheduling Preferences* to set WebWhacker to update your URLs according to a schedule.

### Next Step

When you are ready to whack the site, go to the procedure *Whacking Sites*.

### Related Pages:

- Updating URL Properties, pg. 3-30
- Setting Scheduling Preferences, pg. 4-14
- Whacking Sites, pg. 3-19



## Whacking Sites

When you request a whack, WebWhacker looks at every URL that you have enabled for whack. If the URL has been whacked before, WebWhacker queries its server to determine whether the requested page has changed since the previous whack date. If the server indicates that the page has been changed, if you've added levels to the whack or if it's a new page, WebWhacker downloads the page.

If you set preferences to whack according to a schedule, the URLs must be marked for whack and the **Whack** option must be checked in scheduling preferences.

### Whacking a Web Site

To perform a whack either:

- Click the **Whack** button on the Toolbar OR select **Whack** from the File menu.



WebWhacker copies the current page and the specified number of link levels to your hard drive or local network. When the site has been whacked the icon next to the URL changes to a globe on a sheet of paper (🌐). You can now view it locally, without an Internet connection.

### Stopping a Whack

If, for some reason, you want to stop a whack, click the **Stop** button on the Toolbar. The Stop button may not engage immediately. In particular, a Whack will not be stopped during the connection, extraction, or linking phases (which you can identify by watching the Whack status pane for the message "Connecting...", "Extracting...", or "Linking files...").

### Why a Whacked URL May Not Update

- The web page's server indicates to WebWhacker that the page hasn't changed since the last time it was downloaded by WebWhacker.
- You expected to whack according to the schedule, but the scheduling preferences weren't set to include whacks. Use the procedure *Setting Scheduling Preferences* to update the preferences.
- It wasn't marked to whack. Use the procedure *Changing a Site's Whack Status* to enable the URL for whacking.

### Related Pages:

Setting Scheduling Preferences, pg. 4-14  
Changing a Site's Whack Status, pg. 3-18



## Using WebWhacker

### Browsing Sites

You can quickly display a URL from the WebWhacker window. If you have whacked the URL (📄) it is loaded directly from the WebWhacker database. If it is a new URL that has not yet been whacked (🌐), WebWhacker uses your browser to access the URL site.

**Latest Version of URLs** The page that appears in your browser is the “whacked” version of the URL that resides on your local hard drive or network. If the URL is one that changes frequently, or if you just want to make sure you are viewing the latest version, connect to the net and click once on the **Renew** button on the Toolbar to update your version. See *Renewing Subscribed URLs*.

#### Browsing Sites



#### Step Procedure

1. From the WebWhacker window, select the URL you want to browse. Then from the URL menu, select **Browse**.

OR

Go to the WebWhacker window and double-click the name of the URL.

2. WebWhacker starts your Web browser (if it is not already running) and displays the page in your browser’s window.

#### Access Problems

If your Web browser seems suddenly unable to access its network connection, you may have set your Browser preferences incorrectly. For more information, see *Setting Browser/Mail Preferences*.

#### Related Pages:

Renewing Subscribed URLs, pg. 3-27

Setting Browser/Mail Preferences, pg. 4-11



## Displaying a List of URLs

### WebWhacker List

When you open WebWhacker, a list of all subscribed sites is shown in the upper portion of the window, in a hierarchical list of the URLs and their associated files. If a URL has been whacked, click on the small triangle next to the URL to display the associated files.



### Headline Page

You can also use the WebWhacker **Headlines** function to create a Web page with links to all the top-level, whacked URLs in the WebWhacker database.

### Viewing Headlines

Select **Headlines** from the Toolbar or go to the File menu and select **View Headlines**. WebWhacker creates a Web page listing your top-level whacked URLs as links.





## Using WebWhacker





**Can't Load the Headlines Page**

Your Headlines page reflects the list of top-level URLs you have whacked to your hard drive or local network server. If you cannot load it from your Web browser, there are several possible causes:

<b>Cause</b>	WebWhacker is not running.
<b>Solution</b>	Double-click on your desktop WebWhacker icon.
<b>Cause</b>	Your Web browser is not running.
<b>Solution</b>	Turn on your browser.
<b>Cause</b>	Your Internet connection is faulty.
<b>Solution</b>	Contact your network administrator or Internet service provider.



## Using WebWhacker

---

### Searching the Database

WebWhacker allows you to search for specific words or phrases contained in the title and/or body text of any of your whacked URLs.

#### Boolean Logic

The searching facility supports Boolean search expressions (AND, OR, NOT). These search expressions are case-sensitive and must be typed in all capital letters.

- To expand your search, use OR (or "|") between the search terms. The search finds all sites containing *any one* of the search terms.
- To narrow your search, use AND (or "&") between the search terms. The search finds only those sites containing *all* of your search terms.
- To eliminate all sites containing certain terms, use NOT (or "!") before the search term. The search finds only those sites that do *not* contain the negated search term. You may occasionally encounter a problem in parsing queries using the NOT function. You can often sidestep these problems by using parentheses to group search terms. For example, if "x NOT y" does not work as expected, try "x AND (NOT y)".
- To combine multiple levels of search terms, use parentheses to group each level together. If you do not use parentheses, the program attempts to understand your request by assigning requests an order of precedence (from highest to lowest: NOT, AND, OR). If you are not well-versed in Boolean logic, this may lead to unexpected outcome. Using parentheses to be as specific as possible will help ensure that your request is interpreted as you want.

#### Searching for Punctuation

To search for punctuation marks, you must enclose them in quotation marks (that is, to search for a question mark, type "?"). You cannot search for quotation marks (that is, "" doesn't work).

#### Searching by Case

Search text is not case-sensitive. For example, *WOMAN* will find WOMAN, woman, Woman, even woMan.



**Procedure**




**Step Procedure**

1. In WebWhacker, click the **Search** button on the Toolbar.

Or go to WebWhacker's Tools menu and choose **Search**.

WebWhacker displays the Search dialog.



2. In the **Look for** box, type the word or words you want to find.
3. If you want to search URL Titles only, select **Title** in the **Look in** box. If you want to search the entire text of the URLs, select **Title and Body**. **Title** searches are quicker; **Title and Body** searches are more complete.
4. Click on **Find** to initiate the search. The list of URLs meeting your criteria appears in the **Results** text box.
5. When you see the URL title you want, double-click on it to load the page into your Web browser.



Using WebWhacker


## Viewing Modified URLs

The View Modified tool displays a list of URLs that have been whacked, rewhacked, or renewed recently; that is, that have been downloaded from the Web to your hard drive or local network. You can specify the number of days included in the query.

**Viewing Modified Sites**    **Step**    **Procedure**



1. From the Tools menu, select **View Modified**. WebWhacker displays the View Modified dialog.



2. In **Modified in** \_\_ days, type the number of days (previous to today) during which the URLs may have been downloaded (whacked or renewed).
3. Click **Query** to begin the search of the whacked URLs. WebWhacker displays a list of the URLs and Titles of all sites that have been modified within the specified number of days.
4. When you are finished examining the list, click **Done** to close the dialog box.



## Renewing Subscribed URLs

To keep your information up to date, you may want to renew your URLs by setting their update frequency. You can set WebWhacker to update URLs automatically daily, weekly, or monthly; or you can manually update whacked URLs. See *Scheduling a Whack or Renewal* for more information about automatic renewals.

### How It Works

When you request a renewal, WebWhacker looks at every whacked URL in its database and compares its modified date to the current date. If, based on its update frequency property setting, the URL is scheduled for a renewal, WebWhacker then queries the site server to determine whether the page has changed. If the server indicates that the page has been changed, WebWhacker downloads the changed page. Only whacked pages are renewed, if a page has not been whacked it won't be renewed.

On the other hand, when you request a whack, WebWhacker looks at every URL that you have enabled for whack and queries their servers to determine whether the pages have changed. If a server indicates that a page has been changed, WebWhacker downloads the changed page (that is, rewhacks or updates the page). If a particular page has never been whacked, it will, of course, be downloaded (whacked).

### Problems

If there is a problem with the renewal, you may be able to use the Error List to determine what went wrong.

#### Related Pages:

Scheduling a Whack or Renewal, pg. 4-4

Viewing the Error List, pg. 3-29



## Using WebWhacker

### Renewing Subscribed URLs

#### Step Procedure

1. Open the main WebWhacker window.
2. Be sure you have set the Update Frequency properly for all whacked URLs.
3. Click the **Renew** button on the Toolbar.  
  
Or go to the File menu and select **Renew**.
4. Watch the window at the bottom of the WebWhacker window to determine the current status of your renewals. When the message says *Whack complete*, your renewal is completed.



### Stopping a Renewal

If you want to stop a renewal before it has been completed, click the Toolbar's **Stop** button (which has replaced the **Renew** button).



It may take WebWhacker a moment to respond to your request before it stops whacking. In particular, WebWhacker does not pause during the connection process and extraction process (when it downloads a site and then unpacks the list of required files). You can tell if you are in the connection or extraction process by watching the messages in the status window.

### Why a Renewed URL May Not Be Re-Downloaded

- It hasn't changed since the last time it was downloaded by WebWhacker.
- It was already updated within its update frequency period. For example, the URL is set to renew weekly, and it was renewed sometime in the past week.
- Its renewal frequency is **Never**.
- You asked WebWhacker to renew the URLs but the Renewal option in Preferences is unchecked. This prevents the URLs from being updated using the Renewal function.
- You asked WebWhacker to renew a URL that has never been whacked. A URL cannot be renewed if it has not been whacked in the first place. However if WebWhacker encounters new pages at the site which meet the whacking level you specified, the program downloads these new pages during the renewal process.

#### Related Pages:

Modifying URL Frequency Properties, pg. 3-35



## Viewing the Error List

You can display a list of all the errors WebWhacker encountered in whacking or renewing subscribed URLs. When you select a URL from the error list, WebWhacker displays the errors associated with that URL.

### Error Indicators

A red icon next to a URL indicates an error occurred while whacking that URL. The problem could be as simple as the user cancelling a whack, or it may indicate that a URL or subordinate file could not be found. In general, a red globe (🌐) indicates a problem with downloading the URL; if the red image is a smaller globe on a piece of paper (📄), that indicates a problem with one of the subordinate files (usually an image that could not be found).


### Persistence of Errors in Memory

Check error conditions immediately. Error conditions are not retained once you exit the program. So the error list shows only errors from the current session.

### Displaying Errors

#### Step Procedure

1. Go to the Tools menu and select **View Errors** to display a list of all URLs with problems.



2. Select the URL whose errors you want to review. WebWhacker displays the errors associated with that URL in the lower window labelled **Errors**.



## Using WebWhacker

# Updating URL Properties

Every URL has a series of properties associated with it. You can update some of the properties displayed; others are only for your information.


### Viewing and Updating URL Properties

#### Step Procedure

1. Select the URL whose properties you want to view or change.



Click the **Props** button on the Toolbar, or go to the URL menu and select **Properties**. WebWhacker displays the URL Properties dialog box with the **Attributes** page on top.





2. Select the page for the properties you want to view or change:
  - **Attributes.** The basic information about the site, including its title, URL address, and current status. Since WebWhacker loads all of this information for you, you can *not* change it. See *Viewing Attribute Properties*.
  - **Security.** Security settings include the user name and password associated with the site. You can update both the user name and password. See *Updating Security Properties*.
  - **Update Frequency.** This setting determines how often this URL is scheduled for update. This property works in conjunction with your scheduling preference. See *Modifying URL Frequency Properties*.
  - **Errors.** This page displays any errors encountered while whacking or renewing the URL. See *Viewing Error Properties*.
  - **Whack Levels.** This property allows you to change the number of levels of links that you want to download from the particular URL. See *Updating URL Whack Level Properties*.

**Related Pages:**

Viewing Attribute Properties, pg. 3-32

Updating Security Properties, pg. 3-33

Modifying URL Frequency Properties, pg. 3-35

Viewing Error Properties, pg. 3-37

Updating URL Whack Level Properties, pg. 3-39



## Using WebWhacker

# Viewing Attribute Properties

The Attribute Properties include basic information about a subscribed URL including its title, URL address, and current whacked status.

### Viewing Attributes


### Step Procedure



1. Select the URL whose properties you want to view.

Click the **Props** button on the Toolbar, or go to the URL menu and select **Properties**. WebWhacker displays the URL Properties dialog.

2. If necessary, click on **Attributes**. WebWhacker displays the attributes associated with the URL. This information cannot be changed.



3. If you want to look at or update another property, select the appropriate page.

If you are finished updating properties, select **OK**.



## Updating Security Properties

The Security Properties allow you to update the user name and password associated with a particular URL. The password is not displayed.

### Viewing and Updating Security Properties


#### Step Procedure



1. Select the URL whose properties you want to view or modify.

Click the **Props** button on the Toolbar, or go to the URL menu and select **Properties**. WebWhacker displays the URL Properties dialog.

2. Select the **Whack** page. WebWhacker displays the user name and clear text (bullets) for the password assigned to this URL, along with other whack-related properties.



3. If you want to change the user name or password for this particular URL, enter the new information.



### Using WebWhacker

---

4. To look at or update another property, select the appropriate page.

If you are finished updating properties, select **OK**.



## Modifying URL Frequency Properties

Use the Update Frequency Properties to establish how frequently a subscribed URL will be scheduled for update. This dialog works in conjunction with your scheduling preference.

### Viewing and Modifying Frequency Properties

#### Step Procedure



1. Select the URL whose properties you want to view or modify.

Click on the **Props** button on the Toolbar, or go to the **URL** menu and select **Properties**. WebWhacker displays the URL Properties dialog.

2. Select the **Whack** page. WebWhacker displays the frequency you established for this site, along with other whack-related properties.



3. If you want to change how often the URL is updated, select the new frequency from the drop-down list box.



### Using WebWhacker

---

4. To look at or modify another property, select the appropriate page.  
If you are finished modifying the URL's properties, select **OK**.



## Viewing Error Properties

You can use the Error Properties to review any errors encountered while whacking or renewing a URL. You can't make any changes to this list but you can use it to analyze error conditions.

### Persistence of Errors

Check error conditions as soon as possible. WebWhacker does not retain errors in memory when you exit the program. So the Error Properties show only errors from the current session.


### Procedure

#### Step Procedure

1. Select the URL whose properties you want to check.

Click the **Props** button on the Toolbar, or go to the URL menu and select **Properties**. WebWhacker displays the URL Properties dialog.

2. Select the Errors page. WebWhacker displays the Error List with all the error conditions associated with this URL.





### Using WebWhacker

---

3. To look at or update another property, select the appropriate page.

If you are finished updating properties, select **OK**.



## Updating URL Whack Level Properties

You can set the number of levels you want to download from a subscribed Web site. Normally, whack levels are set when a site is grabbed or added. In addition, you can change the whack levels later using this procedure.

### Whack Levels

The whack levels you specify in the URL properties determines the number of pages WebWhacker acquires when it whacks the site.

You can choose to only whack this single page, whack links from the page and from the linked pages, or whack all the pages linked to the page and all its linked pages. You can also indicate whether or not you want to whack pages from other sites linked to the selected page.

- If you only want this page, set **Levels to 1**.
- If you want all the links from this URL and all the links from those pages as deep as possible, select **All Levels**.
- If you want something between 1 level and all levels, type the correct number in the Levels text box, or use the spin buttons to set the number.
- If you don't want WebWhacker to whack pages from other Web sites that are linked to this URL, select **Remain on Site**. If you chose to whack **All levels**, **Remain on Site** is selected automatically and the option is disabled.
- We do not recommend choosing **All Levels** on large sites (or most commercial sites). If you want the current page to maintain some links but need to limit the size of the whack, choose 1 or 2 levels.

### Remain on Site

If you don't want to whack pages that are on a site different from the original site, select **Remain on Site**. If you choose to whack **All Levels**, **Remain on Site** is selected automatically and the option is disabled.

### Related Pages:

Grabbing a URL, pg. 3-8

Adding a New URL, pg. 3-4




## Using WebWhacker

### Viewing and Updating Whack Level Properties



1. Select the URL whose whack levels you want to update.  
Click on the **Props** button on the Toolbar. Or go to the **URL** menu and select **Properties** or **Whack Levels**.
2. If you are using the **Props** button or the **URL** menu's **Properties** command to change whack levels, WebWhacker displays the URL Properties dialog. Select **Whack**. WebWhacker displays the levels assigned to this site, along with other whack-related properties.

If you are using the **URL** menu's **Whack Levels** command, WebWhacker displays the Whack Levels dialog.



3. Set your whack levels. For details, see the section on setting Whack Levels, under *Adding a New URL*.

#### Related Pages:

Select your whack levels, pg. 3-6

### Using WebWhacker



4. If you don't want to whack pages from other sites linked to this site, select **Remain on Site**. If you chose to whack **All levels** in the previous step, **Remain on Site** is automatically selected and the option is disabled.
5. If you are using the Properties and want to look at or update another property, select the appropriate page.  
If you are finished updating properties, select **OK**.





## Using WebWhacker

### Deleting URLs

You can use this procedure to remove URLs from your WebWhacker database.

**Database Compression** WebWhacker does not currently compress its database when you delete sites; however, the program reuses space recovered from the deleted information before using additional hard disk space. A future release will support database compression.

#### Procedure



#### Step Procedure

1. To delete one or more URLs, select the URL or URLs you want to delete.

To select multiple non-contiguous sites, hold down the Command key to select (or deselect) several URLs.

Or hold down the Shift key to select all the URLs between the two points.

2. When you have selected the URLs you want to delete, go to the Edit menu and select **Clear** or **Cut**. WebWhacker removes all the selected URLs from the database and from your list.

## Chapter 4



### Advanced Features

Scheduling a Whack or Renewal .....	4-4
Setting Preferences .....	4-8
Setting General Preferences .....	4-9
Setting Browser/Mail Preferences .....	4-11
Setting Network Preferences .....	4-12
Setting Proxy Server Preferences .....	4-13
Setting Scheduling Preferences .....	4-14
Exporting Files .....	4-17
Using FTP with WebWhacker .....	4-19



## Advanced Features



WebWhacker includes several advanced features that make it easier for you to access and update your Web sites.

### Scheduling

WebWhacker provides a sophisticated scheduling function that you can use to schedule renewals and rewhacks. In combination with the Update Frequency property assigned to each URL, the scheduling function lets you determine how often and exactly when you want WebWhacker to update your database of subscribed URLs.

See *Modifying URL Frequency Properties* for more information about establishing an individual URL's update frequency and *Scheduling a Whack or Renewal* for information on setting a global schedule for your database.

### Preferences

This section contains detailed instructions for setting each of the WebWhacker system-wide preferences. See *Setting Preferences* for more information.

### Export Function

You can use the WebWhacker export function to save HTML, GIF, and other types of files from subscribed URLs in your WebWhacker database to independent files on your hard drive. Using word processing and photo-editing software, you can then review and update pages and graphics you've found on the Net. See *Exporting Files* and *Using FTP with WebWhacker*.

#### Related Pages:

Modifying URL Frequency Properties, pg. 3-35

Scheduling a Whack or Renewal, pg. 4-4

Setting Preferences, pg. 4-8

Exporting Files, pg. 4-17

Using FTP with WebWhacker, pg. 4-19



## Advanced Features

---

### Scheduling a Whack or Renewal

Scheduling a whack or renewal to take place requires you to coordinate a number of different settings. In addition to subscribing to the URL (by adding or grabbing it) and enabling it (if you want to perform an unattended whack), you must set up the correct URL Update Frequency and Scheduling preferences. Finally, if you want the whacks and renewals performed in your absence, you must remember to leave your computer on with WebWhacker running.

#### Limitations

You must use a Web connection that does *not* require you to type your name and password. If your Internet Service Provider (ISP) requires you to enter your name and password manually each time (rather than with a script or a remembered password), you can not perform scheduled, unattended whacks or renewals.

#### Coordinating Update Frequencies and Scheduling Preferences

The Update Frequency property and the Scheduling preferences work together in performing your whacks and renewals. Remember that the URL Update Frequency is an individual property which must be set separately for each URL. The Scheduling preferences are global (within the context of WebWhacker) and apply to all URLs.

Scheduling preferences override Update Frequency properties because WebWhacker only looks at Update Frequencies when the Scheduling Preference requests it. For instance, if your Scheduling preferences are set for weekly on a specific day (say, Sunday) but a particular URL's Update Frequency property is set to daily, that URL will only be updated once a week (on Sunday).

#### Coordinating Whacks and Renewals

If you set your scheduled whacks and renewals to occur during the night, be sure you do not also leave your machine running on a large whack. Ongoing whacks take precedence over scheduled whacks and renewals. If a whack is already in progress, a scheduled whack or renewal will not kick off. The scheduled whacks and renewals are not reset; the scheduling cycle is simply skipped for that time.

#### Related Pages:

Modifying URL Frequency Properties, pg. 3-35



## Scheduling Whacks and Renewals:

### Overview of Procedure

- | Step | Procedure  |
|------|--|
| 1.   | Subscribe to the desired URLs by adding or grabbing them. See <i>Adding a New URL</i> and <i>Grabbing a URL</i> .                    |
| 2.   | For new whacks, be sure the subscribed URLs have been enabled. See <i>Changing a Site's Whack Status</i> .                           |
| 3.   | For renewals, be sure the subscribed URLs have the appropriate update frequency set. See <i>Modifying URL Frequency Properties</i> . |

Be sure that you have set scheduling preferences correctly. See *Setting Scheduling Preferences*.

4. If you want to perform the whack immediately, click the **Whack** button from your Toolbar, or choose **Whack** from the File menu.

If you want to perform the renewals immediately after the whacks, click the **Renew** button from your Toolbar, or choose **Renew** from the File menu.

5. If you want WebWhacker to perform the whack or renewal in your absence, you must also have your Web connection set up so that it automatically sends your username and password to your Internet Service Provider. If you normally type in your username and password manually, the scheduled whack or renewal will not occur.
6. When you leave, be sure your computer is running, is plugged into a modem or network card, has an active Internet connection, and has WebWhacker running.



### Related Pages:

Adding a New URL, pg. 3-4  
 Grabbing a URL, pg. 3-8  
 Changing a Site's Whack Status, pg. 3-18  
 Modifying URL Frequency Properties, pg. 3-35  
 Setting Scheduling Preferences, pg. 4-14



## Advanced Features

---

# Creating Filters

In some cases you may only want certain types of information from a site. For example, modem users may not want to download large files like movies or online manuals. The Subscription Assistant has a drop-down list box labeled "Filter" that lists all filters you define. This lets you apply the filter to Subscriptions you create.

The Filter options let you specify which types of pages are "whacked" from a certain site. To create a filter, do the following:

### Defining a Filter

#### Step Procedure

1. Click the Filters button in the WebWhacker toolbar to bring up the Filter Templates dialog.
2. Click the New button to bring up the New Filter dialog.
3. Type a name for this filter into the Filter Name text box. Use a name that will be meaningful; probably it should refer to the site name and something about the filter's restrictions (for example, "White House--text only").
4. If you want to keep files with certain extensions from being downloaded, click File Extension and then type the extensions for those file types into the text box at the right. For example, you could save downloading time by excluding most pictures by typing jpg.gif in the text box.

When you are finished, or if you don't want to restrict by file extensions, go on to the next step.

5. If you want to avoid pages or linked files (graphics, movies, etc.) above a certain size, click File Size, then click Restrict To: and type in a number of kilobytes to be the maximum size.

When you are finished, or if you don't want to restrict by file size, go on to the next step.

## Advanced Features



6. If you want to keep the “whack” from going beyond the current server's directory structure, click Directory, then click Remain in Directory. The “whack” will go into all subdirectories below the specified one, but not to any levels “above” that specified (as opposed to Remain on Site, which allows such other directories.)

When you are finished, or if you don't want to restrict by directory, go on to the next step.

7. If you want to keep the “whack” from going beyond the specified site, click Site, then click Remain on Site.

When you are finished, or if you don't want to restrict by site, go on to the next step.

8. If you want to keep certain file types from being downloaded, click MIME Filter and then click the appropriate check boxes at the right. For example, if you don't have or plan to get software to decompress GZIP files, you could click application/x-gzip to avoid downloading them.

Note that you might want to prevent “All Movie Types” or “All Sound Bites” if you don't need that type of information and want significant savings in your download times.

9. When you have finished defining the filter, click OK to save it in the filters list.



## Advanced Features

---

# Setting Preferences

The Preference functions allow you to set various system-wide preferences.

Setting Up Preferences	Step	Procedure
------------------------	------	-----------

- |  |    |  |
|--|----|--|
|  | 1. | From the Tools menu, select <b>Preferences</b> .   |
|  | 2. | Select the tab for the preference you want to change. From the Preferences dialog, you can specify: <ul style="list-style-type: none"><li>• <b>General Preferences.</b> Specifies whether to download in-line graphics on whacked pages, to show the Welcome dialog when WebWhacker starts, and to use Internet Config. See <i>Setting General Preferences</i>, pg. 4-9.</li><li>• <b>Browser/Mail Preferences.</b> Identifies your Web browser and specifies your e-mail account. See <i>Setting Browser/Mail Preferences</i>, pg. 4-11.</li><li>• <b>Network Preferences.</b> Sets up network management options. See <i>Setting Network Preferences</i>, pg. 4-12.</li><li>• <b>Proxy Server Preferences.</b> Sets proxy options and preferences for sites with firewalls. See <i>Setting Proxy Server Preferences</i>, pg. 4-13.</li><li>• <b>Scheduling Preferences.</b> Schedules site updates, in conjunction with the URL update frequencies. See <i>Setting Scheduling Preferences</i>, pg. 4-14.</li></ul> |

**Related Pages:**

Setting General Preferences, pg. 4-9  
Setting Browser/Mail Preferences, pg. 4-11  
Setting Network Preferences, pg. 4-12  
Setting Proxy Server Preferences, pg. 4-13  
Setting Scheduling Preferences, pg. 4-14



## Setting General Preferences

Use the **General** tab of the Preferences dialog box to set basic preferences for the WebWhacker program.

### WebWhacker Mac and Internet Config

WebWhacker for Macintosh is an Internet Config-aware application. This means that you can tell WebWhacker to get information such as your e-mail address, URL, and favorite browser from Internet Config, rather than setting these preferences up within WebWhacker. (Internet Config is a downloadable Macintosh utility applet that allows you to set up Internet options once and send your preferences to all Internet Config-aware applications.)

### Configuring General Preferences

#### Step Preferences

1. From the Tools menu, select **Preferences**. Then select the **General** tab. WebWhacker displays the **General** preferences dialog.



2. If you want WebWhacker to ignore inline images when it whacks pages, select **Ignore Inline Images**. Ignoring inline images is the same as setting your browser to not display images. This makes the whacking and displaying of pages faster.



### Advanced Features

---

3. If you use the Internet Config utility to set up your networking options and want WebWhacker to get its configuration information from Internet Config, put an X in the box labeled **Use Internet Config**. If you do not use Internet Config (or do not know what it is), leave this box blank.
4. If you want the Welcome dialog to load automatically when you open WebWhacker, select **Show Welcome Dialog**. You can set WebWhacker to bypass the Welcome dialog by clearing this check box.
5. If you want to update another preference, select the appropriate tab.

If you are finished updating preferences, select **OK**.



## Setting Browser/Mail Preferences

Use the Browser/Mail preferences to specify your browser and e-mail address.



### Crossed Preferences

If you have more than one browser on your system, you can only view your WebWhacker database from the browser set in the browser preferences.

### Setting Browser and Mail Preferences

#### Step Procedure

1. From the Tools menu, select **Preferences**. Then select the **Browser/Mail** tab. WebWhacker displays the **Browser/Mail** Preferences dialog box.



2. The **Web Browser** option identifies the Web browser WebWhacker should use for browsing and grabbing sites. Click the **Choose...** button to navigate your hard drive and find your Web brows
3. Type your complete e-mail address in the **Email Address** text box.
4. If you want to update another preference, select the appropriate tab. If you are finished updating preferences, select **OK**.




## Advanced Features

# Setting Network Preferences

Use the **Network** preferences to specify basic network management options.

### Procedure



### Step Procedure

1. From the Tools menu, select **Preferences**. Then select the **Network** tab.



2. Enter the number of times you want WebWhacker to try to access a site if it is unsuccessful on the first attempt.
3. Enter the amount of time, in seconds, you want WebWhacker to wait before whacking or downloading subsequent URLs from the same server. Waiting a few seconds is proper Netiquette, so you don't tie up a server.
4. If you want to update another preference, select the appropriate tab.

If you are finished updating preferences, select **OK**.



## Setting Proxy Server Preferences

### Setting Up Behind a Firewall

If your site is running behind a firewall, use the **Proxy server preferences** tab to tell WebWhacker the name or IP address and port number of your HTTP proxy (FTP proxy is not currently supported). If you are not sure of this information, contact your network administrator.

If you are not running behind a firewall, you need not enter this information.

### Procedure

#### Step Procedure

1. From the Tools menu, select **Preferences**. Then select the **Proxy Server** tab.



2. If you are accessing the Internet from behind a firewall or company proxy server, enter the name or IP address and port number for the HTTP proxy. Contact your network administrator for this information.
3. The FTP Proxy function is not currently implemented.
4. If you want to update another preference, select the appropriate tab. If you are finished updating preferences, select **OK**.



## Advanced Features

---

# Setting Scheduling Preferences

You can use the Scheduling function to specify the schedule for URL updates. Scheduling works in conjunction with the URL Update Frequency property, which is set each time you add or grab a new URL or when you specifically change an existing URL's properties. This update frequency setting is stored separately for each URL. The Scheduling setting, on the other hand, is set globally and determines how often WebWhacker attempts to check subscribed URLs to see if they should be updated.

### How It Works

Every time you subscribe to a new URL by adding or grabbing it, WebWhacker lets you establish the frequency with which your subscription to that URL is renewed. Some URL subscriptions you may never want to renew; others you may want to update daily, weekly, or monthly. Based on the frequency schedule you establish in the program's Scheduling preferences, WebWhacker looks at the Update Frequency for each URL to determine which URLs are eligible for update and then queries the server at that page's original site to determine whether the site has changed since the last time you downloaded it. If the page has changed, WebWhacker renews it by reacquiring the page information.

For example, if your preferences are set to renew daily at midnight, every night WebWhacker looks at all the URLs that have been assigned an update frequency. If the update criteria is met (the frequency is daily or today is a week or a month after the last update), WebWhacker queries the server at the page's original Internet location to determine the page's modification date on the server. The program then compares the two modification dates (on the server and on your local desktop). If the server-based modification date is later than your local modification date, the page has probably changed since your last update, so WebWhacker downloads the updated page.

### Related Pages:


Modifying URL Frequency Properties, pg. 3-35

Adding a New URL, pg. 3-4

Grabbing a URL, pg. 3-8



**Configuring Scheduling Step Procedure**



1. Click the **Schedule** button on the **Toolbar**.

OR

From the **Tools** menu, select **Preferences**. Then select the **Scheduling** tab. WebWhacker displays the **Scheduling** preferences page.



2. Select the scheduling options you want:
  - If you want to schedule updates to occur every day, select **Daily**.
  - If you only want to updates on weekdays (Monday through Friday, but not Saturday and Sunday), select **Weekdays Only**.
  - If you want to specify weekly updates on a particular day, select **Specific Day**. Then select the desired day.
3. Select the time you want the scheduled updates to start. Many people prefer scheduling updates for around midnight when access rates may be cheaper and they aren't using their system.



### Advanced Features

---

4. If you want WebWhacker to whack all URLs that have been enabled, select **Whack**. URLs that have been enabled for whacking include a knife symbol (, , or ) in their icon.
5. If you want WebWhacker to look at all subscribed URLs that are eligible for renewal (according to their Update Frequency Property) and download any that have changed since the last time you whacked or renewed them, select **Renewal**. You can select **Whack**, **Renewal**, or both.
6. If you want to modify another preference, select the appropriate tab. If you are finished modifying preferences, select **OK**.



## Exporting Files

The Export function allows you to save much of the information in your database of subscribed URLs to text and image files on your hard drive or local network. You can use these files if you want to recycle graphics from a Web page or to examine and edit the HTML code of a page you admire.

### How It Works

WebWhacker's Export function works in a manner similar to the File/Save as function of your Web browser, except that it adds the ability to automatically save all images or other associated files referenced in the HTML code. The exported files contain only raw HTML—the information you see when you choose to **View Document Source** in your Web browser. If the HTML page references any images, movies, or other enhancements, the associated files are saved in the appropriate format (for example, graphics are usually GIFs or JPGs).

Unless the original Web page creator used relative URLs to reference embedded graphics, etc., these exported pages do not include any working links and thus do not function like typical Web pages. However, the text file of HTML code, the graphic file, or embedded movie file can be viewed with any application that can deal with that particular file type. For example, you can view the HTML code with most word processors; you can view GIF or JPEG files with most photo-editing applications.

### Time Requirement

Exporting a large file or group of files may take a long time. As when you are deleting or saving a large file to your hard drive, you can *not* stop the export in the middle of the process.

### File Formats

When you select a page for export, the Web page files are exported in HTML format while the included files retain their native formats (usually GIF or JPG for images, AVI or MOV for movies, etc.)

### Dating Exported Files

Exported files carry the date on which they were saved to disk. They do *not* reference the date on which the original Web page was created or the date on which it was last downloaded to your WebWhacker database.



## Advanced Features

### Exporting Web Pages and Associated Files

#### Step Procedure

1. To export a particular page and its associated files, select its URL in Tree View. If you select a URL that contains images or other multimedia files, these associated files are included in the export.
2. From the File menu or Toolbar, choose **Export**. WebWhacker displays the **Browse for Folder** window.



3. Navigate to the folder to which you want to export the selected file or files.
4. When you click on Select "Folder Name" (where "Folder Name" is replaced by the actual name of the destination folder on your hard drive), the selected files are exported as marked.



## Using FTP with WebWhacker

When you use WebWhacker to whack a site that includes FTP (File Transfer Protocol) pages, the FTP'd pages cannot be viewed using WebWhacker as a Web browser proxy.

### **Text Files**

If the pages are text files, you can view these pages if you Export them and then view them with a text editor (such as the Simple Text accessory that ships on Macintosh computers) or any word processor that can view text files. See *Exporting Files*.

### **Compressed Files**

Other FTP'd files may be compressed files (usually ending in .hqx or .sit). These files must be uncompressed using a StuffIt™ utility.

### **Related Pages:**

Exporting Files, pg. 4-17



**Advanced Features**

---

## Chapter 5



### Reference Section

Glossary .....	5-4
Known Problems and Limitations .....	5-10



**Reference Section**



**Glossary**

This reference section contains a glossary of commonly used Internet terms as well as special WebWhacker terminology.

**Known Problems**

The Known Problems section describes known problems and product limitations as of the date of this manual. For more late-breaking information see the `Readme` file delivered with the product.



**Reference Section**

---

## Glossary

- add (a URL)** Subscribe to a URL by typing its full Internet address. When you add a URL (as opposed to grabbing it), you must manually enter the full URL in the **URL to Add** dialog.
- address** Either an IP Address (the 32-bit address assigned to TCP/IP host computers) or an e-mail address (the name and location address to which all of your electronic mail is sent).
- Boolean logic** Named for 19th century English mathematician George Boole, Boolean logic uses AND, OR, and NOT as its primary operators, just as add, subtract, multiply, and divide are the primary operators in arithmetic.
- A Boolean search requires that specific conditions must be met. For example, a search using the terms *tropical* and *fruits* with the AND operator finds all occurrences that contained both the word *tropical* and the word *fruits*. See *Searching the Database*, pg. 3-24.
- bookmark file** (also called *hotlist* and *favorites*). Collection of Net site addresses saved into an HTML file by a Web browser. The list may be organized around a single topic or may be a list of the user's favorite sites.
- browser (Web browser)** Program that allows the user to find and view information on the World Wide Web (WWW). It generally refers to a Web browser, which translates HTML-coded pages into graphical interfaces on the user's computer. See also *WWW*, pg. 5-9.
- category** Groups or sets of URLs gathered together. You can define the categories that meet your needs.
- database** WebWhacker stores indexing and key information about the sites you have saved in a database. The files themselves are stored in a special folder. You cannot access or manipulate this database with any other database management system; it is in a format that only WebWhacker can interpret. However, you can export an individual file in raw HTML format.

Reference Section



- DNS** (Domain Name System). Database system used to map the meaningful names humans use to refer to machines on the Internet (such as, Blue Squirrel) onto the IP addresses that the computers use to access one another. DNS allows the user to type in a simple, memorable company name which the computer converts into a unique series of numbers.
- domain** Technically, the alphanumeric part of the DNS naming system; it is usually identifiable as a series of words separated by periods (called *dots*). For example, `ffg.com` is pronounced *ffg-dot-com*. In general terms, a domain is a logical region of the Internet and is commonly referred to as a *site*.
- e-mail** (electronic mail) Method by which computer users can exchange messages over a network. E-mail is probably the most widely used communications tool on the Internet. There are many conventions to e-mail, but most entail "To:", "From:", and "Subject:" lines. One of e-mails advantages is its ability to be forwarded and replied to easily.
- e-mail address** Set of names which routes your e-mail to you. By convention, an e-mail address is made up of several parts, separated by periods. The first part of the address, the username, identifies a unique user on a server. The "@" (pronounced "at" in the United States) separates the username from the host name. The host name uniquely identifies the server computer and is the last part of the Internet e-mail address. Large servers, such as those used at universities or large companies sometimes contain multiple parts, called subdomains. Subdomains and the host name are separated by a "." (pronounced "dot").
- The three-letter suffix in the host name identifies the kind of organization operating the server (some locations use a two-letter geographical suffix). The most common suffixes are: `com` (commercial), `edu` (educational), `gov` (government), `mil` (military), `net` (networking), `org` (non-commercial). Addresses outside of the U.S. sometimes use a two-letter suffix that identifies the country in which the server is located. Some examples are: `jp` (Japan), `nl` (The Netherlands), `uk` (United Kingdom), `ca` (Canada), `tw` (Taiwan).
- favorites list** See *bookmark file*, pg. 5-4.



## Reference Section

---

- firewall** Network node used as a boundary, or security device, to prevent Internet traffic from crossing over from one side to another. A firewall may be implemented in a router protecting a company's or institution's server, or it may be a specialized device used for such purposes.
- FTP** (File Transfer Protocol) TCP/IP protocol for transferring (copying) from one machine on the Internet to another. Basically, it is the Internet version of the File Copy functions on most desktop platforms. Since FTP evolved on the UNIX platform, its commands for making and changing directories, transferring, copying, moving, and deleting files were originally rather arcane text-based commands typed at a prompt. Fortunately, many graphical applications are now available that make FTP commands as easy as dragging and dropping.
- grab** Subscribe to a URL while browsing the site. When you grab a URL (as opposed to adding it), the program picks up the URL from your browser for you and automatically enters it into the **URL to Add** text box. See *Grabbing a URL*, pg. 3-8.
- headline** Within the context of WebWhacker, title of a whacked URL displayed on a list in a special localized Web page. You can click on any of the headlines to load that whacked URL into your browser. Headlines generally reflect the title assigned to the page by its creator.
- home page** Point of entry into a company's, individual's, or institution's set of HTML pages on the World Wide Web. This foundation page is often used as an index with links to other resources on the Web or to other Internet servers.
- hotlist** See *bookmark file*, pg. 5-4.
- HTML** (HyperText Markup Language) Standard way to mark text documents to be published on the World Wide Web. HTML code is distinguished by its use of tags surrounded by brackets; for example, <BODY> is the standard tag for beginning the body of any HTML document. HTML code is what you see when you select View Document Source in your browser.
- IP** IP stands for Internet Protocol, the second half of the standard TCP/IP package that provides the most fundamental protocols on the Internet. IP defines the unit of information passed across the Internet.

Reference Section



<b>IP address</b>	32-bit address assigned to Internet hosts using TCP/IP.
<b>ISDN</b>	(Integrated Services Digital Network) Access provided by telephone carriers which combines voice and digital (computer) services on a single medium. ISDN connections provide faster access than is available through basic modem connections.
<b>knife icons</b>	<ul style="list-style-type: none"><li>• One knife (for example, ) indicates you only want to whack one level of the subscribed URL.</li><li>• Two knives ( or ) indicate you want to whack multiple levels of the subscribed URL.</li><li>• Red icons ( or ) indicate an error occurred when the URL was whacked.</li></ul>
<b>mirror site</b>	Many Web and FTP sites have become so popular that they have acquired “mirror sites” to alleviate congestion. Mirror sites are areas on another computer that “mirror” or contain an exact replica of the directory structure of the files on the overly popular site’s computer. If you have trouble getting connected to an FTP site, for example, because of the high amount of traffic, you can usually connect to a mirror site that contains the same information on a different computer. Mirror sites are usually updated once a day.
<b>PPP</b>	(point-to-point protocol) Protocol that provides a method for transmitting packets over serial point-to-point links. PPP is one of the most popular methods for dial-up connections to the Internet, since it allows you to use other standard protocols (such as IPX, TCP/IP, and Netbeui) over a standard telephone connection, but it can also be used for LAN connections.
<b>properties</b>	Information about any subscribed URL, whether or not it has been whacked yet. The URL Properties sheets will give you a URL’s Attributes (Title, URL, Status, Creation Time, and Modified Time), Security issues (username and password), Update Frequency, any Errors, and Whack Levels with <b>Remain on Site</b> setting. See <i>Updating URL Properties</i> , pg. 3–30.
<b>protocol</b>	Language spoken between computers to exchange information. More technically, a protocol is the formal description of formats and rules followed by machines to exchange information. Different protocols are used to exchange different sorts of messages, such as news for newsgroups and FTP for file transfers.



## Reference Section

---

- proxy** Special kind of application which serves as an interface between the Web browser and the actual connection to the Internet.
- proxy server** Application which passes information between a browser and the Internet.
- red icons** (  or  ) Indicates an error occurred while whacking that URL. The problem could be as simple as the user cancelling a whack, or it may indicate that a URL or subordinate file could not be found. In general, if the red image is a globe, that indicates a problem with downloading the URL; if the red image is a smaller globe on a piece of paper, that indicates a problem with one of the subordinate files (usually an image that could not be found). See *Viewing the Error List*, pg. 3–29 or *Viewing Error Properties*, pg. 3–37.
- remain on site** When WebWhacker begins whacking a URL site, it whacks all links to the level you specify. If the page has links to another site, you might not want to whack those pages. Select **Remain on Site** in the Whack Levels dialog to keep WebWhacker from transversing and whacking links to other sites. You can only use the **Remain on Site** option if you are specifying a number of levels to whack; if you are whacking all the links from a page, **Remain on Site** is selected automatically and the option is grayed out, making it unavailable.
- SLIP** (Serial Line Internet Protocol) Standard protocol (similar to PPP) which is used to run TCP/IP over serial lines, such as telephone circuits or RS-232 cables. Unlike PPP, however, SLIP does not work on a LAN connections. SLIP is probably the most popular way for dial-up users to access the Internet. In general, Web access requires a SLIP or PPP connection.
- T1/T3** Two terms coined by AT&T to describe the types of high-speed connections of hosts to the Internet. A T1 connection transmits a DS-1 formatted digital signal at 1.544 megabits per second. A T3 connection transmits a DS-3 formatted digital signal at 44.746 megabits per second.
- TCP** (Transmission Control Protocol) First half of the standard TCP/IP package that provide the most fundamental protocols on the Internet. TCP provides the transport level standards that allow a process on one machine to send data to a process on another machine.
- TCP/IP** Standard package that provide the most fundamental protocols on the Internet.

Reference Section



- URL** (Uniform Resource Locator) Standard address format used to identify and locate sites on the Internet. World Wide Web site URLs begin with the prefix `http://` (HyperText Transfer Protocol), generally followed by `www` (World Wide Web). After the standard prefixes, URLs use identifiers for different domains and subsections of domains, each separated by a period (`.`). The various levels of a site are separated by a forward slash (`/`); individual home pages are often preceded by a tilde (`~`).
- URL subscription** When you add or grab a URL, you create a subscription to that URL. It is called a *subscription* because, like a newspaper or magazine subscription, you can be scheduled to automatically receive a copy of the updated materials (in this case, the new Web page or pages). See *Renewing Subscribed URLs*, pg. 3-27.
- Web page** Page of a document on the World Wide Web.
- whack** Download a site from its location on the World Wide Web and copy it to your hard drive or local network. Depending upon how you have set up the whack (in the New URL dialog), your local copy can include all graphics, audio and video clips, and links to other pages and/or sites. See *Whacking Sites*, pg. 3-19 and *Setting General Preferences*, pg. 4-9.
- whack levels** Number of link levels WebWhacker acquires when it whacks the site. See *Updating URL Whack Level Properties*, pg. 3-39.
- WWW** (World Wide Web or Web) Collection of on-line documents housed on Internet servers around the world. The concept of the Web was created by researchers at CERN in Switzerland. Web documents are written or coded in HTML. To access these documents, you must use a Web browser, such as Internet Explorer or Netscape Navigator. When these browsers access (or hit) a page, the server uses the HyperText Transfer Protocol (HTTP) to send the document to your computer.



Reference Section

---

## Known Problems and Limitations

- Browser Links** If your system loads a different program when you are expecting it to load your Web browser, you may have your browser improperly designated in the WebWhacker Preferences. See *Setting Browser/Mail Preferences*, pg. 4-11.
- CGI-Generated Scripts and Images** WebWhacker does not support CGI-generated scripts and images. We do, however, support client-side image maps.
- Database Compression** WebWhacker does not currently compress its database when you delete sites; however, the program will reuse space recovered from the deleted information before using additional hard disk space. A future release will support database compression.
- Forms (Search Forms)** WebWhacker does not support HTML forms (for example, search forms).
- FTP** When whacking files, be sure that your FTP path ends with a file name. (FTP only supports the transfer of files; it does not download directories.)
- For example, `ftp://somewhere.out.there/files/` does not work. The correct format is: `ftp://somewhere.out.there/files/file1.txt`.
- At the present time, WebWhacker does not work as an FTP proxy. See *Using FTP with WebWhacker*, pg. 4-19.
- Interrupted Whacks** If your modem drops your Internet connection, your operating system may not be aware of the lost connection. In that case, WebWhacker may also be unaware of the lost connection and may hang. Use the Cancel function (Command-period) to stop WebWhacker.
- Unsupported Protocols** WebWhacker does not support file, gopher, mail, news, and nntp. When the program encounters references to these protocols in the HTML, the references are skipped.

**Addendum**



---

## **New Features in WebWhacker 4.0 for Macintosh**

**Name your files as full filenames**

With WebWhacker 4.0 you can now save downloaded sites with the full site filename.

Example: You can save our web page as: [www.bluesquirrel.com](http://www.bluesquirrel.com)

**Tree View**

WebWhacker is now easier to navigate thanks to the new Tree View which has been added to the 4.0 version. The Tree View allows a branched view of each downloaded site and all of its pages on the hard drive. To view all of the links just double click on the folder you want to view.

**One Button Whacking**

In our search to make WebWhacker as simple to use as possible we created One Button Whacking. This allows you to just click on the Whack button on the tool bar to whack the current page and all of the accompanying graphics.

## Index

- A**
- Adding Categories ..... 3-15
- Adding URLs ..... 3-4
- Attribute Properties ..... 3-32
- B**
- Back Up Database ..... 1-3
- Bookmark File ..... 5-4
- Browser Preferences, Setting ... 4-11
- Browsing
  - Connected ..... 1-6
  - Off-Line ..... 1-6
  - WebWhacker ..... 3-20
- Businesses, Uses ..... 1-4
- C**
- Categories
  - Adding ..... 3-15
  - Deleting ..... 3-16
- CGI-Generated Images ... 5-10
- CGI-Generated Scripts ... 5-10
- Changed URLs, Viewing .. 3-26
- Changing Whack Status .. 3-18
- Clearing URLs ..... 3-42
- Compressed Files ..... 4-19
- Compression, Database ... 5-10
- Connected Browsing ..... 1-6
- Coordinating
  - Whacks and Renewals ... 4-4
- Customer Support ..... 1-8
- D**
- Database
  - Backing Up ..... 1-3
  - Compression ..... 5-10
  - Searching ..... 3-24
- WebWhacker ..... 1-6
- Dating Exported Files .... 4-17
- Deleting
  - Categories ..... 3-16
  - Sites, WebManager ..... 3-16
  - URLs ..... 3-42
  - URLs, WebManager .... 3-16
  - WebWhacker 1.0 Groups .. 2-5
- Dialup Limitations ..... 4-4
- Disable Whack ..... 3-18
- Display URLs ..... 3-21
- E**
- Educators, Uses ..... 1-4
- Enable Whack ..... 3-18
- Erasing URLs ..... 3-42
- Error List, Viewing ..... 3-29
- Error Properties ..... 3-37
- Export File Formats ..... 4-17
- Export Files, Dating ..... 4-17
- Exporting Files ..... 4-17
- F**
- Favorites List ..... 5-4
- File Protocols
  - Unsupported ..... 5-10
- File Transfer Protocol (FTP) ..... 5-10
- Files
  - Compressed ..... 4-19
  - Dating Export ..... 4-17
  - Export Formats ..... 4-17
  - Exporting ..... 4-17
  - Text ..... 4-19
- Blue Squirrel Web Site .. 1-8
- Formats, Export Files .... 4-17
- Forms ..... 5-10
- Frequency Properties .... 3-35
- FTP ..... 5-10
- G**
- General Preferences, Setting 4-9
- Glossary ..... 5-4
- Gopher Protocol ..... 5-10
- Grabbing URLs ..... 3-8
- Groups
  - Importing from 1.0 ..... 2-9
  - WebWhacker 1.0 ..... 2-5
- H**
- Hardware Requirements .. 2-4
- Headline Page ..... 3-21
- Home Page, Blue Squirrel ..... 1-8
- Hotlist ..... 5-4
- How WebWhacker Works . 1-3
- I**
- Images, CGI ..... 5-10
- Importing
  - 1.0 Groups ..... 2-9
- Individuals, Uses ..... 1-4
- Installation
  - Installing WebWhacker .. 2-7
  - Setting Preferences ..... 2-8
- Installing WebWhacker ... 2-7
- Interim Upgrades ..... 2-5
- Internet Connection
  - Requirements ..... 2-4
- Interrupted Whacks ..... 5-10
- K**
- Known Problems ..... 5-10



**L**  
Limitations ..... 5-10  
Limitations, Dialup ..... 4-4  
List URLs ..... 1-7  
List, Errors ..... 3-29

**M**  
Mail Preferences, Setting .. 4-11  
Mail Protocol ..... 5-10  
Modified URLs, Viewing .. 3-26  
Moving URLs ..... 3-17

**N**  
Network Preferences  
    Setting ..... 4-12  
News Protocol ..... 5-10  
NNTP Protocol ..... 5-10

**O**  
Off-Line Browsing ..... 1-6

**P**  
Perform the Whack ..... 3-19  
Preferences, Setting ..... 4-8  
    Browser ..... 4-11  
    General ..... 4-9  
    Mail ..... 4-11  
    Network ..... 4-12  
    Proxy Server ..... 4-13  
    Scheduling ..... 4-14  
Problems, Known ..... 5-10  
Program Installation ..... 2-7  
Program Preferences .. 2-8, 4-8

**Properties**  
    Attribute ..... 3-32  
    Error ..... 3-37  
    Frequency ..... 3-35  
    Security ..... 3-33

    Updating ..... 3-30  
    URL Error ..... 3-37  
    URL Frequency ..... 3-35  
    URL Whack Level ..... 3-39

**Protocols, Unsupported** .. 5-10

**Proxy Server, Setting**  
    Preferences ..... 4-13

**R**  
Recommendations, System .. 2-4  
Removing WebWhacker .. 2-11  
Renewal, Scheduling ..... 4-4  
Renewing URLs ..... 3-27  
Requirements, System ..... 2-4

**S**  
Scheduling  
    Renewal ..... 4-4  
    Whack ..... 4-4  
Scheduling Preferences .. 4-14  
Scripts, CGI ..... 5-10  
Search Forms ..... 5-10  
Searching the Database .. 3-24  
Security Properties ..... 3-33  
Setting Preferences .... 2-8, 4-8  
    Browser ..... 4-11  
    General ..... 4-9  
    Mail ..... 4-11  
    Network ..... 4-12  
    Proxy Server ..... 4-13  
    Scheduling ..... 4-14

**Sites**  
    Browsing ..... 3-20  
    Renewing ..... 3-27  
    Searching ..... 3-24  
    Viewing Modified ..... 3-26

    Whacking ..... 3-19  
    Status Bar, Whack ..... 1-7  
    Support ..... 1-8  
    System Requirements ..... 2-4

**T**  
Technical Support ..... 1-8  
Terms ..... 5-4  
Text Files ..... 4-19

**U**  
Uninstalling WebWhacker 2-11  
Unsupported Protocols .. 5-10  
Updating URL Properties 3-30  
    Frequency ..... 3-35  
    Security ..... 3-33  
    Whack Level ..... 3-39  
Upgrading ..... 2-5  
URL Error Properties .... 3-37  
URL Frequency Properties 3-35  
URL Properties, Updating 3-30  
URL Whack Levels ..... 3-39

**URLs**  
    Adding ..... 3-4  
    Browsing ..... 3-20  
    Deleting ..... 3-42  
    Grabbing ..... 3-8  
    List ..... 1-7, 3-21  
    Renewing ..... 3-27  
    Searching ..... 3-24  
    Viewing Modified ..... 3-26  
    Whacking ..... 3-19  
Using WebWhacker ..... 1-6

**V**  
Version 1.0  
    Deleting Groups ..... 2-5



Importing 1.0 Groups . . .	2-9	Window	
Upgrading . . . . .	2-5	WebWhacker . . . . .	1-7
Viewing			
Attribute Properties . . . .	3-32		
Error List . . . . .	3-29		
Modified URLs . . . . .	3-26		
URL Error Properties . . .	3-37		
Viewing Requirements . . . .	2-4		
<b>W</b>			
Web Site, Blue Squirrel . . .	1-8		
WebManager			
Adding Categories . . . . .	3-15		
Deleting Categories . . . . .	3-16		
Deleting Sites . . . . .	3-16		
Moving Sites . . . . .	3-17		
WebWhacker			
Database . . . . .	1-6		
How It Works . . . . .	1-3		
Using . . . . .	1-6		
What's New in 2.0 . . . . .	1-5		
Window . . . . .	1-7		
Whack			
Disable . . . . .	3-18		
Enable . . . . .	3-18		
Scheduling . . . . .	4-4		
Whack Level Properties . . .	3-39		
Whack Levels . . . . .	3-39		
Whack Status Bar . . . . .	1-7		
Whack Status, Changing . .	3-18		
Whacker, Who Can Use . . .	1-4		
Whacking Sites . . . . .	3-19		
Whacks, Interrupted . . . .	5-10		
What's New in 2.0 . . . . .	1-5		
Who Can Use WebWhacker	1-4		

